

英文原著

1) Araki H, Yoshinaga K, Boccuni P, Zhao Y, Hoffman R, Mahmud N:
Chromatin modifying agents permit human hematopoietic stem cells to undergo multiple cell divisions while retaining their repopulating potential.
Blood. 109 :3570-3578, 2007.

2) Varnum-Finney B, Dallas MH, Kato K, Bernstein ID:
Notch target Hes5 ensures appropriate Notch induced T- versus B-cell choices in the thymus.
Blood 111;2615-2620, 2007.

3) Higuchi T, Bartel FO, Masuya M, Deguchi T, Henderson KW, Li R, Muise-Helmericks RC, Kern MJ, Watson DK, Spyropoulos DD:
Thymomegaly, microsplenia, and defective homeostatic proliferation of peripheral lymphocytes in p51-Ets1 isoform-specific bull mice.
Mol Cell Biol 27:3353-3366, 2007.

4) Yamamura K, Ohishi K, Katayama N, Kato K, Shibasaki T, Sugimoto Y, Miyata E, Shiku H, Masuya M, Nishioka J, Nobori T, Nishikawa M, Inagaki Y, Hiramatsu H, Nakahata T:
Notch ligand Delta-1 differentially modulates the effects of gp130 activation on interleukin-6 receptor α -positive and α -negative human hematopoietic progenitors
Cancer Sci 98:1597-1603, 2007.

5) Shibasaki T, Katayama N, Ohishi K, Fujieda A, Monma F, Nishi K, Masuya M, Shiku H:
IL-3 can not replace GM-CSF in inducing human monocytes to differentiate into Langerhans cells.
Int J Oncol 30:549-555, 2007.

6) Fuke H, Shiraki K, Sugimoto K, Tanaka J, Beppu T, Yoneda K, Yamamoto N, Ito K, Masuya M, Takei Y:

Jak inhibitor induces S phase cell-cycle arrest and augments TRAIL-induced apoptosis in human hepatocellular carcinoma cells.

Biochem Biophys Res Commun 363:738-744, 2007.

7) Suzuki K, Ohishi K, Sekine T, Masuya M, Katayama N:

Selective blast cell reduction in elderly patients with acute myeloid leukemia secondary to myelodysplastic syndrome treated with methylprednisolone.

Int J Hematol 85:344-349, 2007.

8) Nakase K, Kita K, Miwa H, Nishii K, Shikami M, Tanaka I, Tsutani H, Ueda T, Nasu K, Kyo T, Dohy H, Shiku H, Katayama N:

Clinical and prognostic significance of cytokine receptor expression in adult acute lymphoblastic leukemia: interleukin-2 receptor α -chain predicts a poor prognosis.

Leukemia 21:326-332, 2007.

9) Hoshino N, Nakase K, Tawara I, Kageyama S, Ohishi K, Nishii K, Sugimura Y, Shiku H, Katayama N:

Early tumor regression following severe lung injury after allogeneic stem cell transplantation in a patient with renal cell carcinoma.

Intern Med 46:291-293, 2007.

10) Nishii K, Nanbu R, Lorenzo F 5th, Monma F, Kato K, Ryuu H, Katayama N:

Expression of the JAK2 V617F mutation is not found in de novo AML and MDS but is detected in MDS-derived leukemia of megakaryoblastic nature.

Leukemia 21:1337-1338, 2007.

11) Monma F, Nishii K, Shiga J, Sugahara H, Watanabe Y, Kawakami K, Hosokai N, Yamamori S, Shiku H, Katayama N:

Detection of CBF β /MYH11 fusion gene in acute myeloid leukemia (AML) without inv(16); incidence in 218 Japanese AML cases.

Leuk Res 31:471-476, 2007.

12) Nishii K, Sakakura M, Tsukada T, Ryuu H, Katayama N:

Successful treatment of imatinib combined with less intensive chemotherapy (vincristine and dexamethasone) as induction therapy in a very elderly patient with Philadelphia chromosome-positive acute lymphoblastic leukemia.

Int J Hematol 85:273-274, 2007.

13) Murase T, Yamaguchi M, Suzuki R, Okamoto M, Sato Y, Tamaru J, Kojima M, Miura I, Mori N, Yoshino T, Nakamura S:

Intravascular large B-cell lymphoma (IVLBCL): a clinicopathologic study of 96 cases with special reference to the immunophenotypic heterogeneity of CD5.

Blood 109:478-85, 2007.

14) Kimura M, Yamaguchi M, Nakamura S, Imai H, Ueno S, Ogawa S, Miyazaki K, Oka K, Ohno T, Kita K, Kobayashi T, Shiku H:

Clinicopathologic significance of loss of CD19 expression in diffuse large B-cell lymphoma.

Int J Hematol 85:41-8, 2007.

15) Mizuno T, Katsumata N, Mukai H, Shimizu C, Ando M, Watanabe T:

The outpatient management of low-risk febrile patients with neutropenia: risk assessment over the telephone.

Supportive Care in Cancer. 15:287-91. 2007.

16) Kobayashi T, Wada H, Kamikura Y, Matsumoto T, Mori Y, Kaneko T, Nobori T, Matsumoto M, Fujimura Y, Shiku H.:

Decreased ADAMTS13 activity in plasma from patients with thrombotic thrombocytopenic purpura.

Thromb Res. 119:447-52, 2007.

17) Sakakura M, Wada H, Tawara I, Nobori T, Sugiyama T, Sagawa N, Shiku H.:

Reduced Cd4+Cd25+ T cells in patients with idiopathic thrombocytopenic purpura.

Thromb Res. 120:187-93, 2007.

18) Uenaka A, Wada H, Isobe M, Saika T, Tsuji K, Sato E, Sato S, Noguchi Y, Kawabata R, Yasuda T, Doki Y, Kumon H, Iwatsuki K, Shiku H, Monden M, Jungbluth AA, Ritter G, Murphy R, Hoffman E, Old LJ, Nakayama E.:

T cell immunomonitoring and tumor responses in patients immunized with a complex of cholesterol-bearing hydrophobized pullulan (CHP) and NY-ESO-1 protein.

Cancer Immun. 7:9, 2007.

19) Kawabata R, Wada H, Isobe M, Saika T, Sato S, Uenaka A, Miyata H, Yasuda T, Doki Y, Noguchi Y, Kumon H, Tsuji K, Iwatsuki K, Shiku H, Ritter G, Murphy R, Hoffman E, Old LJ, Monden M, Nakayama E.:

Antibody response against NY-ESO-1 in CHP-NY-ESO-1 vaccinated patients.

Int J Cancer. 120:2178-84, 2007.

20) Tanaka K, Toyoda H, Aoki M, Noda T, Aota T:

An incarcerated prosthetic tooth in the vermiform appendix.

Gastrointest Endosc. 66:400-1, 2007.

21) Tanaka K, Toyoda H, Kadowaki S, Hamada Y, Kosaka R, Yamanaka M, Imoto I:

Use of proton pump inhibitors may cause squamous epithelial masking of intramucosal carcinoma in Barrett's esophagus.

Endoscopy. 39 Suppl 1:E105-106, 2007.

22) Tanaka K, Toyoda H, Inoue H, Hamada Y, Aoki M, Kosaka R, Takamura M, Imoto I:

Depressed-type early duodenal carcinoma (carcinoma in situ) observed by enhanced magnification endoscopy.

Endoscopy. 39 Suppl 1:E125-126, 2007.

23) Tanaka K, Toyoda H, Hamada Y, Aoki M, Kosaka R, Noda T, Katsurahara M, Nakamura M, Ninomiya K, Inoue H, Imoto I, Takei Y:

A relapse case of acute necrotizing esophagitis.

Endoscopy. 39 Suppl 1:E305, 2007.