

## 英文原著

Isshiki T, Kimura T, Ogawa H, Yokoi H, Nanto S, Takayama M, Kitagawa K, Nishikawa M, Miyazaki S, Ikeda Y, Nakamura M, and Saito S. PRASFIT-Elective Investigators. Prasugrel, a third-generation P2Y12 receptor antagonist, in patients with coronary artery disease undergoing elective percutaneous coronary intervention. Circ J. 78: 2926-34, 2014.

Oritani K, Okamoto S, Tauchi T, Saito S, Ohishi K, Handa H, Takenaka K, Gopalakrishna P, Amagasaki T, Ito K, Akashi K. A multinational, open-label, phase 2 study of ruxolitinib in Asian patients with myelofibrosis: Japanese subset analysis. Int J Hematol. 101(3):295-304, 2015.

Saraf S, Araki H, Petro B, Park Y, Taioli S, Yoshinaga KG, Koca E, Rondelli D, Mahmud N. Ex vivo expansion of human mobilized peripheral blood stem cells using epigenetic modifiers. Transfusion. 55(4):864-74, 2015.

Aota T, Matsumoto T, Suzuki K, Imai H, Katayama N, Wada H. Antithrombin and mortality in severe pneumonia patients with sepsis-associated disseminated intravascular coagulation: an observational nationwide study: comment. J Thromb Haemost. 13(4):679-80, 2015.

Wada H, Aota T, Matsumoto T, Suzuki K, Imai H, Katayama N. Antithrombin or thrombomodulin administration in severe pneumonia patients with sepsis and disseminated intravascular coagulation: comment on two papers. J Thromb Haemost. 13(4):684-5, 2015.

Masuda J, Tanigawa T, Yamada T, Nishimura Y, Sasou T, Nakata T, Sawai T, Fujimoto N, Dohi K, Miyahara M, Nishikawa M, Nakamura M, Ito M. Effect of combination therapy of ezetimibe and rosuvastatin on regression of coronary atherosclerosis in patients with coronary artery disease. Int Heart J. 56(3):278-85, 2015.

Kageyama S, Ikeda H, Miyahara Y, Imai N, Ishihara M, Saito K, Sugino S, Ueda S, Ishikawa T, Kokura S, Naota H, Ohishi K, Shiraishi T, Inoue N, Tanabe M, Kidokoro T, Yoshioka H, Tomura D, Nukaya I, Mineno J, Takesako K, Katayama N, Shiku H. Adoptive Transfer of MAGE-A4 T-cell Receptor Gene-Transduced Lymphocytes in Patients with Recurrent Esophageal Cancer.

Clin Cancer Res. 21(10):2268-77, 2015.

Nakamura M, Nishikawa M, Komuro I, Kitajima I, Uetsuka Y, Yamagami T, Minamiguchi H, Yoshimatsu R, Tanabe K, Matsuoka N, Kanmuri K, Ogawa H.

Apixaban for the treatment of Japanese subjects with acute venous thromboembolism (AMPLIFY-J study).

Circ J. 79(6):1230-6, 2015.

Ikeda H, Shiku H.

Adoptive immunotherapy of cancer utilizing genetically engineered lymphocytes. Cancer Immunol Immunother. 64(7):903-9, 2015.

Kamimoto Y, Wada H, Ikejiri M, Nakatani K, Sugiyama T, Osato K, Murabayashi N, Habe K, Mizutani H, Matsumoto T, Ohishi K, Ikeda T.

Hypofibrinogenemia and the  $\alpha$ -Fibrinogen Thr312Ala Polymorphism may be Risk Factors for Early Pregnancy Loss.

Clin Appl Thromb Hemost. pii: 1076029615594003, 2015.

Oritani K, Okamoto S, Tauchi T, Kim JS, Zhou D, Saito S, Li J, Handa H, Jianyong L, Ohishi K, Hou M, Depei W, Takenaka K, Liu T, Hu Y, Amagasaki T, Ito K, Gopalakrishna P, Akashi K.

Efficacy and safety of ruxolitinib in Asian patients with myelofibrosis.

Jung CW, Shih LY, Xiao Z, Jie J, Hou HA, Du X, Wang MC, Park S, Eom KS, Leuk Lymphoma. 56(7):2067-74, 2015.

Wada H, Aota T, Matsumoto T, Yamashita Y, Katayama N.

New insights of the tissue factor pathway inhibitor in patients with hypercholesterolemia treated with statins.

J Athero Thromb. 22(7):654-5, 2015.

Miyazaki K, Yamaguchi M, Imai H, Kobayashi K, Tamaru S, Kobayashi T, Shiku H, Katayama N.

Gene expression profiling of diffuse large B-Cell lymphomas supervised by CD5 expression.

Int J Hematol. 102(2):188–94, 2015.

Hiroshi Okano, Tomomasa Tochio, Daisuke Suga, HIroaki Kumazawa, Yoshiaki Isono, Hiroki Tanaka, Shimpei Matsusaki, Tomohiro Sase, Tomonori Saito, Katsumi Mukai, Akira NIshimura, Youichirou Baba, Tetsuya Murata.

A case of a stomach gastrointestinal stromal tumor with extremely predominant cystic formation.

Clin J Gastroenterol. 8(4):197–201, 2015.

Kamimoto Y, Wada H, Ikejiri M, Nakatani K, Sugiyama T, Osato K, Murabayashi N, Yamada N, Matsumoto T, Ohishi K, Ishikawa H, Tomimoto H, Ito M, Ikeda T.

High frequency of decreased antithrombin level in pregnant women with thrombosis.

Int J Hematol: 102(3):253–8, 2015.

Suzuki K, Yamaguchi T, Iwashita Y, Yokoyama K, Fujioka M, Katayama N, Imai H. Case Series of Iliopsoas Abscesses Treated at a University Hospital in Japan: Epidemiology, Clinical Manifestations, Diagnosis and Treatment.

Intern Med. 54(17):2147–53, 2015.

Takahashi N, Usui M, Naitoh K, Wada H, Mastsui T, Kobayashi T, Matsumoto T, Uemoto S, Isaji S.

Elevated Soluble Platelet Glycoprotein VI Levels in Patients After Living Donor Liver Transplantation.

Clin Appl Thromb Hemost. pii: 1076029615604047, 2015.

Saito S, Isshiki T, Kimura T, Ogawa H, Yokoi H, Nishikawa M, Miyazaki S, Tanaka Y, Nakamura M.

Impact of Arterial Access Route on Bleeding Complications in Japanese Patients Undergoing Percutaneous Coronary Intervention: Insight from the PRASFIT Trial. Circ J. 79(9):1928–37, 2015.

Tanimura M, Dohi K, Hirayama M, Sato Y, Sugiura E, Nakajima H, Kanemitsu S, Toyoda

H, Yamada N, Masuya M, Imanaka-Yoshida K, Shimpo H, Azuma E, Ito M. Recurrent inflammatory aortic aneurysms in chronic mucocutaneous candidiasis with a gain-of-function STAT1 mutation. *Int J Cardiol.* 196:88–90, 2015.

Sugimoto Y, Sada A, Shimokariya Y, Monma F, Ohishi K, Masuya M, Nobori T, Matsui T, Katayama N. A novel FOXP1-PDGFR $\alpha$  fusion gene in myeloproliferative neoplasm with eosinophilia. *Cancer Genet.* 208(10):508–12, 2015.

Zhang J, Ramadan AM, Griesenauer B, Li W, Turner MJ, Liu C, Kapur R, Hanenberg H, Blazar BR, Tawara I, Paczesny S. ST2 blockade reduces sST2-producing T cells while maintaining protective mST2-expressing T cells during graft-versus-host disease. *Sci Transl Med.* 7(308):308ra160, 2015.

Matsuzaki J, Tsuji T, Luescher IF, Shiku H, Mineno J, Okamoto S, Old LJ, Shrikant P, Gnjatic S, Odunsi K. Direct tumor recognition by a human CD4(+) T-cell subset potently mediates tumor growth inhibition and orchestrates anti-tumor immune responses. *Sci Rep.* 5:14896, 2015.

Hiroki Tanaka, Youichirou Baba, Shimpei Matsusaki, Yoshiaki Isono, Hiroaki Kumazawa, Tomohiro Sase, Hiroshi Okano, Tomonori Saito, Katsumi Mukai, Hiroki Taoka. So-called carcinosarcoma of the duodenum with a chondrosarcomatous component. *Clin J Gastroenterol.* 8(5):268–74, 2015.

Mizuno S, Hanamura I, Ota A, Karnan S, Narita T, Ri M, Mizutani M, Goto M, Gotou M, Tsunekawa N, Shikami M, Iida S, Hosokawa Y, Miwa H, Ueda R, Nitta M, Takami A. Overexpression of salivary-type amylase reduces the sensitivity to bortezomib in multiple myeloma cells. *Int J Hematol.* 102(5):569–78, 2015.

Nishikawa M, Isshiki T, Kimura T, Ogawa H, Yokoi H, Miyazaki S, Ikeda Y, Nakamura M, Takita A, Saito S.

No association between on-treatment platelet reactivity and bleeding events following percutaneous coronary intervention and antiplatelet therapy: A post hoc analysis.

Thromb Res. 136(5):947–54, 2015.

Fujiwara H, Ochi T, Ochi F, Miyazaki Y, Asai H, Narita M, Okamoto S, Mineno J, Kuzushima K, Shiku H, Yasukawa M.

Antileukemia multifunctionality of CD4+ T cells genetically engineered by HLA class I-restricted and WT1-specific T-cell receptor gene transfer.

Leukemia. 29(12):2393–401, 2015.

Guidance Development Review Committee; Working Group for Clinical Studies of Cancer Immunotherapy; Working Group for Effector Cell Therapy; Working Group for CMC/Non-clinical Studies; Working Group for Cancer Vaccines and Adjuvants; Working Group for Anti-immune Checkpoint Therapy and Comprehensive Cancer Immunotherapy; Biostatistics Subcommittee. (corresponding author, Shinichi Kageyama)

2015 Guidance on cancer immunotherapy development in early-phase clinical studies.

Cancer Sci. 106(12):1761–71, 2015.

Miyakawa Y, Katsutani S, Yano T, Nomura S, Nishiwaki K, Tomiyama Y, Higashihara M, Shirasugi Y, Nishikawa M, Ozaki K, Abe T, Kikuchi K, Kanakura Y, Fujimura K, Ikeda Y, Okamoto S.

Efficacy and safety of rituximab in Japanese patients with relapsed chronic immune thrombocytopenia refractory to conventional therapy.

Int J Hematol. 102(6):654–61, 2015.

Miyazaki S, Isshiki T, Kimura T, Ogawa H, Yokoi H, Nishikawa M, Nakamura M, Tanaka Y, and Saito S, on behalf of the PRASFIT-ACS Investigators and PRASFIT-Elective Investigators.

Re-evaluation of bleeding events in the Japanese PRASFIT-Elective and PRASFIT-ACS clinical trials using the Bleeding Academic Research Consortium Criteria.

Cardiovasc Pharm Open Access 4(5):1000162, 2015.

Hiroshi Okano, Hideaki Nakajima, Tomomasa Tochio, Daisuke Suga, Hiroaki Kumazawa, Yoshiaki Isono, Hiroki Tanaka, Shimpei Matsusaki, Tomohiro Sase, Tomonori Saito, Katsumi Mukai, Akira Nishimura, Nobuyoshi Matsushima, Youichirou Baba, Tetsuya Murata, Takashi Hamada, Hiroki Taoka.

A case of a resectable single hepatic epithelioid hemangioendothelioma with characteristic imaging by ADC map.

Clin J Gastroenterol. 8(6):406–13, 2015.

Hiroki Tanaka, Shimpei Matsusaki, Youichirou Baba, Yoshiaki Isono, Hiroaki Kumazawa, Tomohiro Sase, Hiroshi Okano, Tomonori Saito, Katsumi Mukai , Hiroshi Kaneko.

Neuroendocrine tumor G3 : a pancreatic well-differentiated neuroendocrine tumor with a high proliferative rate.

Clin J Gastroenterol. 8(6):414–20, 2015.

Nakase K, Kita K, Kyo T, Ueda T, Tanaka I, Katayama N.

Prognostic relevance of cytokine receptor expression in acute myeloid leukemia: interleukin-2 receptor  $\alpha$ -chain (CD25) expression predicts a poor prognosis.  
PLoS One 2015; 10:e0128998.

Habe K, Wada H, Matsumoto T, Ohishi K, Ikejiri M, Tsuda K, Kondo M, Kamimoto Y, Ikeda T, Katayama N, Mizutani H.

Plasma ADAMTS13, von Willebrand Factor (VWF), and VWF Propeptide Profiles in Patients With Connective Tissue Diseases and Antiphospholipid Syndrome.

Clin Appl Thromb Hemost. pii: 1076029615625832, 2016.

Sato YT, Umezaki K, Sawada S, Mukai SA, Sasaki Y, Harada N, Shiku H, Akiyoshi K. Engineering hybrid exosomes by membrane fusion with liposomes.  
Sci Rep. 6:21933, 2016.

Aota T, Wada H, Yamashita Y, Matsumoto T, Ohishi K, Suzuki K, Imai H, Usui M, Isaji S, Katayama N.

The efficacy of the administration of recombinant human soluble thrombomodulin in patients with DIC.

Int J Hematol. 103(2):173–9, 2016.

Habe K, Wada H, Matsumoto T, Ohishi K, Ikejiri M, Matsubara K, Morioka T, Kamimoto Y, Ikeda T, Katayama N, Mizutani H.

Presence of Antiphospholipid Antibodies as a Risk Factor for Thrombotic Events in Patients with Connective Tissue Diseases and Idiopathic Thrombocytopenic Purpura.

Intern Med. 55(6):589–95, 2016.

Yamada R, Inoue H, Yoshizawa N, Kitade T, Tano S, Sakuno T, Harada T, Nakamura M, Katsurahara M, Hamada Y, Tanaka K, Horiki N, Takei Y.

Peripancreatic Tuberculous Lymphadenitis with Biliary Obstruction Diagnosed by Endoscopic Ultrasound-guided Fine-needle Aspiration Biopsy.

Intern Med. 55(8):919–23, 2016.

Keiki Nagaharu, Kenji Ikemura, Yoshiki Yamashita, Hiroyasu Oda, Mikiya Ishihara, Yumiko Sugawara, Satoshi Tamari, Toshiro Mizuno, and Naoyuki Katayama.

A Case of Hyperammonemia Associated with High Dihydropyrimidine Dehydrogenase Activity.

Case Rep Oncol Med. Volume 2016 (2016) , Article ID 7510901, 4 pages

Ikejiri M, Wada H, Kamimoto Y, Nakatani K, Ikeda I.

Protection from pregnancy loss in women with hereditary thrombophilia when associated to fibrinogen polymorphismThr331Ala.

Clin Appl Thromb Hemost. 2016 Apr 20. pii: 1076029616645400.

Toyoda H, Wada H, Miyata T, Amano K, Kihira K, Iwamoto S, Hirayama M, Komada Y. Disease recurrence after early discontinuation of eculizumab in a patient with atypical hemolytic uremic syndrome with complement C3 I1157T mutation.

J Pediatr Hematol Oncol. 38(3):e137–9, 2016.

Squizzato A, Hunt BJ, Kinsewitz GT, Wada H, Ten Cate H, Thachil J, Levi M, Vicente V, D'Angelo A, Di Nisio M.

Supportive management strategies for disseminated intravascular coagulation. An international consensus.

Thromb Haemost. 115(5):896–904, 2016.

Miyauchi K, Tsuchikawa T, Wada M, Abiko T, Kyogoku N, Shichinohe T, Miyahara Y, Kageyama S, Ikeda H, Shiku H, Hirano S.

Clinical relevance of antigen spreading pattern induced by CHP-MAGE-A4 cancer vaccination.

Immunotherapy. 8(5):527–40, 2016.

Ikejiri M, Wada H, Yamaguchi T, Miyazaki S, Hasegawa M, Wakabayashi H, Asanuma K, Sakaguchi A, Matsumoto T, Ohishi K, Fujimoto N, Yamada N, Ito M, Katayama N, Sudo A.

Comparison of three different anti-Xa assays in major orthopedic surgery patients treated with fondaparinux.

Int J Hematol. 103(5):554–9, 2016.

Yamaguchi T, Wada H, Miyazaki S, Hasegawa M, Wakabayashi H, Asanuma K, Fujimoto N, Matsumoto T, Ohishi K, Sakaguchi A, Yamada N, Ito M, Yamashita Y, Katayama N, Sudo A.

Fibrin-related markers for diagnosing acute-, subclinical-, and pre-venous thromboembolism in patients with major orthopedic surgery.

Int J Hematol. 103(5):560–6, 2016.

Toyoda H, Tanaka K.

Intestinal Anisakiasis Treated Successfully with Prednisolone and Olopatadine Hydrochloride.

Case Rep Gastroenterol. 10:30–35, 2016.

Yamada R, Mizuno S, Uchida K, Yoneda M, Kanayama K, Inoue H, Murata Y, Kuriyama N, Kishiwada M, Usui M, Ii N, Tsuboi J, Tano S, Hamada Y, Tanaka K, Horiki N, Ogura T, Shiraishi T, Takei Y, Katayama N, Isaji S.

Human Equilibrative Nucleoside Transporter 1 Expression in Endoscopic Ultrasonography-Guided Fine-Needle Aspiration Biopsy Samples Is a Strong Predictor of Clinical Response and Survival in the Patients With Pancreatic Ductal Adenocarcinoma Undergoing Gemcitabine-Based Chemoradiotherapy.

Pancreas. 45(5):761–71, 2016.

Wada H, Matsumoto T, Aota T, Yamashita Y, Suzuki K, Katayama N.

Management of cancer-associated disseminated intravascular coagulation: Guidance from ISTH's SSC and a comment on differences between the ISTH and Japanese management.

J Thromb Haemost. 14(6):1314–5, 2016.

Ogawa H, Isshiki T, Kimura T, Yokoi H, Nanto S, Takayama M, Kitagawa K, Nishikawa M, Miyazaki S, Ikeda Y, Nakamura M, Tanaka Y, Saito S.

Effects of CYP2C19 allelic variants on inhibition of platelet aggregation and major adverse cardiovascular events in Japanese patients with acute coronary syndrome: The PRASFIT-ACS study.

J Cardiol. 68(1):29–36, 2016.