

Tobinai K, Yamaguchi M.

Treatment of extranodal NK/T cell lymphoma, nasal type.

UpToDate®, Wolters Kluwer, Waltham, MA, USA. (on line)

Aota T, Wada H, Yamashita Y, Matsumoto T, Ohishi K, Suzuki K, Imai H, Usui M, Isaji S, Asakura H, Okamoto K, Katayama N.

An Evaluation of the Modified Diagnostic Criteria for DIC Established by the Japanese Society of Thrombosis and Hemostasis.

Clin Appl Thromb Hemost. Jan 1: 1076029616654263, 2016.

Aota T, Wada H, Fujimoto N, Yamashita Y, Matsumoto T, Ohishi K, Suzuki K, Imai H, Usui M, Isaji S, Uchiyama T, Seki Y, Katayama N.

Evaluation of the Diagnostic Criteria for the Basic Type of DIC Established by the Japanese Society of Thrombosis and Hemostasis.

Clin Appl Thromb Hemost. Jan 1: 1076029616672582, 2016.

Aota T, Wada H, Yamashita Y, Matsumoto T, Ohishi K, Suzuki K, Imai H, Usui M, Isaji S, Katayama N.

The efficacy of the administration of recombinant human soluble thrombomodulin in patients with DIC.

Int J Hematol 103(2):173-9, 2016.

Habe K, Wada H, Matsumoto T, Ohishi K, Ikejiri M, Matsubara K, Morioka T, Kamimoto Y, Ikeda T, Katayama N, Mizutani H.

Presence of Antiphospholipid Antibodies as a Risk Factor for Thrombotic Events in Patients with Connective Tissue Diseases and Idiopathic Thrombocytopenic Purpura.

Intern Med 55(6): 589-95, 2016.

Toyoda H, Wada H, Miyata T, Amano K, Kihira K, Iwamoto S, Hirayama M, Komada Y.

Disease recurrence after early discontinuation of eculizumab in a patient with atypical hemolytic uremic syndrome with complement C03 I1157T mutation.

J Pediatr Hematol Oncol. 38(3): e137-9, 2016.

Sawaki A, Ishihara M, Kozuka Y, Oda H, Tamaru S, Sugawara Y, Yamashita Y, Mizuno T, Shiraishi T, Katayama N.

Colon cancer chemotherapy for a patient with CDX2-expressing metastatic thymic

adenocarcinoma: a case report and literature review.

Int Canc Conf J. 5(2): 113-9, 2016.

Nakahashi S, Yamada T, Ogura T, Nakajima K, Suzuki K, Imai H.

Association of Patient Care with Ventilator-Associated Conditions in Critically Ill Patients: Risk Factor Analysis.

PLoS One. 11(4): e0153060, 2016.

Yamada R, Inoue H, Yoshizawa N, Kitade T, Tano S, Sakuno T, Harada T, Nakamura M, Katsurahara M, Hamada Y, Tanaka K, Horiki N, Takei Y.

Peripancreatic Tuberculous Lymphadenitis with Biliary Obstruction Diagnosed by Endoscopic Ultrasound-guided Fine-needle Aspiration Biopsy.

Intern Med. 55(8): 919-23, 2016.

Nagaharu K, Ikemura K, Yamashita Y, Oda H, Ishihara M, Sugawara Y, Tamaru S, Mizuno T, Katayama N.

A Case of Hyperammonemia Associated with High Dihydropyrimidine Dehydrogenase Activity.

Case Rep Oncol Med. 2016/7510901, 2016.

Momose F, Seo N, Akahori Y, Sawada S, Harada N, Ogura T, Akiyoshi K, Shiku H.

Guanine-Rich Sequences Are a Dominant Feature of Exosomal microRNAs across the Mammalian Species and Cell Types.

PLoS One. 11(4): e0154134, 2016.

Suzuki K, Iwashita Y, Enokiya T, Yokoyama K, Fujioka M, Katayama N, Imai H.

Use and effectiveness of prothrombin complex concentrate in an emergency department: a review of 15 cases.

Acute Med Surg. 3(2): 94-100, 2016.

Watanabe M, Suzuki K, Fujinaga K, Yamamoto A, Fujioka M, Katayama N, Imai H.

Postmortem diagnosis of massive gastrointestinal bleeding in a patient with aberrant right subclavian artery–esophageal fistula.

Acute Med Surg. 3(2): 139-42, 2016.

Fujioka M, Suzuki K, Fuji E, Katayama N, Ito M, Imai H.

Usefulness of prothrombin complex concentrate for cardiac injury in patients receiving oral anticoagulant therapy.

Acute Med Surg. 3(2): 210-1, 2016.

Squizzato A, Hunt BJ, Gary T, Kinasewitz GT, Wada H, ten Cate H, Thachil J, Levi M, Vicente V, Angelo AD, Di Nisio M.

Supportive management strategies for disseminated intravascular coagulation. An international consensus. Thromb Haemost. 115 (5): 896-904, 2016.

Toyoda H, Tanaka K.

Intestinal Anisakiasis Treated Successfully with Prednisolone and Olopatadine Hydrochloride.

Case Rep Gastroenterol. 10(1): 30–35, 2016.

Miyauchi K, Tsuchikawa T, Wada M, Abiko T, Kyogoku N, Shichinohe T, Miyahara Y, Kageyama S, Ikeda H, Shiku H, Hirano S.

Clinical relevance of antigen spreading pattern induced by CHP-MAGE-A4 cancer vaccination.

Immunotherapy. 8(5): 527-40, 2016.

Ikejiri M, Wada H, Yamaguchi T, Miyazaki S, Hasegawa M, Wakabayashi H, Asanuma K, Sakaguchi A, Matsumoto T, Ohishi K, Fujimoto N, Yamada N, Ito M, Katayama N, Sudo.

A Comparison of three different anti-Xa assays in major orthopedic surgery patients treated with fondaparinux.

Int J Hematol 103(5): 554-9, 2016.

Yamaguchi T, Wada H, Miyazaki S, Hasegawa M, Wakabayashi H, Asanuma K, Fujimoto N, Matsumoto T, Ohishi K, Sakaguchi A, Yamada N, Ito M, Yamashita Y, Katayama N, Sudo A.

Fibrin-related markers for diagnosing acute-, subclinical-, and pre-venous thromboembolism in patients with major orthopedic surgery.

Int J Hematol 103(5): 560-6, 2016.

Kobayashi H, Naito M, Masuya M, Maruyama M, Urata K, Takahashi Y, Tomaru A, Fujiwara K, Ohnishi M, Takagi T, Kobayashi T, D'Alessandro-Gabazza C, Urawa M,

Gabazza EC, Taguchi O, Takei Y.

Circulating fibrocytes correlate with the asthma control test score.

Allergol Immunopathol. 44(3): 191-6, 2016.

Wada H, Matsumoto T, Aota T, Yamashita Y, Suzuki K, Katayama N.

Management of cancer-associated disseminated intravascular coagulation: guidance from the SSC of the ISTH: comment.

J Thromb Haemost. 14(6): 1314-5, 2016.

Casey NP, Fujiwara H, Tanimoto K, Okamoto S, Mineno J, Kuzushima K, Shiku H, Yasukawa M.

A Functionally Superior Second-Generation Vector Expressing an Aurora Kinase-A-Specific T-Cell Receptor for Anti-Leukaemia Adoptive Immunotherapy.

PLoS One. 11(6): e0156896, 2016.

Kashima H, Momose F, Umehara H, Miyoshi N, Ogo N, Muraoka D, Shiku H, Harada N, Asai A.

Epirubicin, Identified Using a Novel Luciferase Reporter Assay for Foxp3 Inhibitors, Inhibits Regulatory T Cell Activity.

PLoS One. 11(6): e0156643, 2016.

Itamura H, Shindo T, Tawara I, Kubota Y, Kariya R, Okada S, Komanduri KV, Kimura S.

The MEK inhibitor trametinib separates murine graft-vs-host disease from graft-versus-tumor effects.

JCI Insight. 1(10): e86331, 2016.

Nakajima H, Dohi K, Tanabe M, Nakamura A, Kanemitsu S, Wada H, Yamada N, Nobori T, Shinpo H, Ito M.

Infective Endocarditis Caused by Panton-Valentine Leukocidin-producing Methicillin-susceptible Staphylococcus aureus Identified by the Broad-range PCR Method.

Intern Med. 55(14): 1871-5, 2016.

Wang L, Ma N, Okamoto S, Amaishi Y, Sato E, Seo N, Mineno J, Takesako K, Kato T, Shiku H.

Efficient tumor regression by adoptively transferred CEA-specific CAR-T cells

associated with symptoms of mild cytokine release syndrome.

Oncoimmunology. 5(9): e1211218, 2016.

Yamamoto A, Suzuki K, Sakaida H, Suzuki H, Imai H.

Management of inadvertent vertebral artery injury due to central venous catheterization in a coagulopathic patient.

Acute Med Surg. 3(3): 265-7, 2016.

Kobayashi K, Yamaguchi M, Miyazaki K, Imai H, Yokoe K, Ono R, Nosaka T, Katayama N.

Expressions of SH3BP5, LMO3, and SNAP25 in diffuse large B-cell lymphoma cells and their association with clinical features.

Cancer Med. 5(8):1802-9, 2016.

Nagatsuka K, Miyata S, Kada A, Kawamura A, Nakagawara J, Furui E, Takiuchi S, Taomoto K, Kario K, Uchiyama S, Saito K, Nagao T, Kitagawa K, Hosomi N, Tanaka K, Kaikita K, Katayama Y, Abumiya T, Nakane H, Wada H, Hattori A, Kimura K, Isshiki T, Nishikawa M, Yamawaki T, Yonemoto N, Okada H, Ogawa H, Minematsu K, Miyata T. Cardiovascular events occur independently of high on-aspirin platelet reactivity and residual COX-1 activity in stable cardiovascular patients.

Thromb Haemost. 116(2): 356-68, 2016.

Suzuki K, Nakamura A, Ishikura K, Imai H.

Recurrent SDSE bacteraemia resulting in streptococcal toxic shock syndrome in a patient with Noonan syndrome.

BMJ Case Rep. pii: bcr2016216092. 2016.

Ino K, Nakase K, Suzuki K, Nakamura A, Fujieda A, Katayama N.

Bacteremia due to *Leuconostoc pseudomesenteroides* in a Patient with Acute Lymphoblastic Leukemia: Case Report and Review of the Literature.

Case Rep Hematol. 2016: 7648628, 2016.

Tanaka H, Fujiwara H, Ochi F, Tanimoto K, Casey N, Okamoto S, Mineno J, Kuzushima K, Shiku H, Sugiyama T, Barrett J, Yasukawa M.

Development of engineered T cells expressing a chimeric CD16-CD3 ζ receptor to improve the clinical efficacy of mogamulizumab therapy against adult T cell leukemia.

Clin Cancer Res. 22(17): 4405-16, 2016.

Iba T, Di Nisio M, Thachil J, Wada H, Asakura H, Sato K, Kitamura N, Saitoh D.
Revision of the Japanese Association for Acute Medicine (JAAM) disseminated
intravascular coagulation (DIC) diagnostic criteria using antithrombin activity.
Crit Care. 20 (9): 28, 2016.

Kojima S, Suzuki K, Katayama N, Imai H.
Superior mesenteric artery syndrome as a cause of acute pancreatitis.
BMJ Case Rep. pii: bcr2016217073. 2016.

Asakura H, Takahashi H, Uchiyama T, Eguchi Y, Okamoto K, Kawasugi K, Madoiwa S,
Wada H.
DIC subcommittee of the Japanese Society on Thrombosis and Hemostasis.: Proposal
for new diagnostic criteria for DIC from the Japanese Society on Thrombosis and
Hemostasis.
Thromb J. 14: 42, 2016.

Iba T, Gando S, Saitoh D, Wada H, Di Nisio M, Thachil J.
Antithrombin supplementation and risk of bleeding in patients with sepsis-associated
disseminated intravascular coagulation.
Thromb Res. 145 (9):46-50, 2016.

Suzuki K, Yokoyama K, Yamamoto A, Fujioka M, Katayama N, Imai H.
Respiratory failure with hydrothorax due to acute onset pleuroperitoneal
communication after upper endoscopy.
Acute Med Surg. 3(4): 426-7, 2016.

Yamamoto A, Suzuki K, Iwashita Y, Yokoyama K, Omori Y, Suzuki H, Imai H.
Controlled normothermia for a cerebral air embolism complicating computed
tomography-guided transthoracic needle biopsy of the lung.
Acute Med Surg. 3(4): 411-4, 2016.

Takaki H, Imai N, Contessa TT, Srimathveeravalli G, Covey AM, Getrajdman GI,
Brown KT, Solomon SB, Erinjeri JP.
Peripheral Blood Regulatory T-Cell and Type 1 Helper T-Cell Population Decrease after

Hepatic Artery Embolization.

J Vasc Interv Radiol. 27(10): 1561-8, 2016.

Aota T, Wada H, Fujimoto N, Sugimoto K, Yamashita Y, Matsumoto T, Ohishi K, Suzuki K, Imai H, Kawasugi K, Madoiwa S, Asakura H, Katayama N.

The valuable diagnosis of DIC and pre-DIC and prediction of a poor outcome by the evaluation of diagnostic criteria for DIC in patients with hematopoietic injury established by the Japanese Society of Thrombosis and Hemostasis.

Thromb Res. 147(11): 80-4, 2016.

Wada H, Matsumoto T, Aota T, Imai H, Suzuki K, Katayama N.

Efficacy and safety of anticoagulant therapy in three specific populations with sepsis: a meta-analysis of randomized controlled trials: comment.

J Thromb Haemost. 14(11): 2308-9, 2016.

Wada H, Matsumoto T, Fujimoto N, Imai H, Suzuki K, Katayama N.

Shock, acute disseminated intravascular coagulation, and microvascular thrombosis: is 'shock liver' the unrecognized provocateur of ischemic limb necrosis: comment.

J Thromb Haemost. 14(11): 2315-6, 2016.

Yamada R, Tanaka K, Naota H, Kobayashi K.

A Long Surviving Case with Undifferentiated Pancreatic Carcinoma.

Intern Med. 55(22): 3403-4, 2016.

Arai A, Tanabe M, Nakamura A, Yamasaki D, Muraki Y, Kaneko T, Kadowaki A, Ito M.

Utility of electronic hand hygiene counting devices for measuring physicians' hand hygiene adherence applied to outpatient settings.

Am J Infect Control. 44(12): 1481-5, 2016.

Miyazaki K.

Treatment of diffuse large B-cell lymphoma.

J Clin Exp Hematop 56(2):79-88, 2016.

Kyogoku N, Ikeda H, Tsuchikawa T, Abiko T, Fujiwara A, Maki T, Yamamura Y, Ichinokawa M, Tanaka K, Imai N, Miyahara Y, Kageyama S, Shiku H, Hirano S.

Time-dependent transition of the immunoglobulin G subclass and immunoglobulin E

response in cancer patients vaccinated with cholesteryl pullulan-melanoma antigen gene-A4 nanogel.

Oncol Lett. 12(6): 4493-504, 2016.

Nakase K, Fujieda A, Umino A, Katayama N.

Trichosporon fungemia in a patient with acute myeloid leukemia.

Ann Clin Case Rep 1:1036,2016.

Nakase K, Kita K, Katayama N.

Interleukin-2 receptor α -chain (CD25) expression in acute myeloid leukemia.

J Clin Cell Immunol 7:4,2016

Yamaguchi M, Suzuki R, Oguchi M, Asano N, Amaki J, Akiba T, Maeda T, Itasaka S, Kubota N, Saito Y, Kobayashi Y, Itami J, Ueda K, Miyazaki K, Ii N, Tomita N, Sekiguchi N, Takizawa J, Saito B, Murayama T, Ando T, Wada H, Hyo R, Ejima Y, Hasegawa M, Katayama N.

Treatments and outcomes of patients with extranodal natural killer/T-cell lymphoma diagnosed between 2000 and 2013: a cooperative study in Japan.

J Clin Oncol 35(1): 32-9, 2017.

Maki T, Ikeda H, Kuroda A, Kyogoku N, Yamamura Y, Tabata Y, Abiko T, Tsuchikawa T, Hida Y, Shichinohe T, Tanaka E, Kaga K, Hatanaka K, Matsuno Y, Imai N, Hirano S.

Differential detection of cytoplasmic Wilms tumor 1 expression by immunohistochemistry, western blotting and mRNA quantification.

Int J Oncol. 50(1): 129-140, 2017.

Tagome-Cheng S, Yamamoto A, Suzuki K, Katayama N, Imai H.

Cortical blindness induced by hepatic encephalopathy: case report and review of published case reports.

Acute Med Surg 4(1): 109-13, 2017.

Tamaru S, Tono Y, Matsumoto T, Oda H, Sugimoto Y, Mizuno T, Katayama N, Nishikawa M.

Successful Treatment by Prednisolone for Interstitial Pneumonia Associated with Anagrelide in a Patient with Essential Thrombocythemia.

Int Canc Conf J. 6(1): 22-4, 2017.

Hori T, Uemoto S, Saito K, Kuribayashi K, Hori Y, Kato T.
Challenge of ex vivo-stimulated CD4+CD25+ regulatory T cell-mediated
alloantigen-specific immunosuppression by murine cardiac transplantation.
Transpl Immunol. 40: 72-3, 2017.

Nakamura A, Suzuki K, Imai H, Katayama N.
Metformin-associated lactic acidosis treated with continuous renal replacement
therapy.
BMJ Case Rep. pii: bcr2016218318, 2017.

Takeda K, Nakayama M, Hayakawa Y, Kojima Y, Ikeda H, Imai N, Ogasawara K,
Okumura K, Thomas DM, Smyth MJ.
IFN- γ is required for cytotoxic T cell-dependent cancer genome immunoeediting.
Nat Commun. 8: 14607, 2017.

Ikejiri M, Wada H, Yamada N, Nakamura M, Fujimoto N, Nakatani K, Matsuda A,
Ogihara Y, Matsumoto T, Kamimoto Y, Ikeda T, Katayama N, Ito M.
High prevalence of congenital thrombophilia in patients with pregnancy-related or
idiopathic venous thromboembolism/pulmonary embolis.
Int J Hematol. 105(3): 272-9, 2017.

Komatsu N, Kirito K, Shimoda K, Ishikawa T, Ohishi K, Ohyashiki K, Takahashi N,
Okada H, Amagasaki T, Yonezu T, Akashi K.
Assessing the safety and efficacy of ruxolitinib in a multicenter, open-label study in
Japanese patients with myelofibrosis.
Int J Hematol. 105(3): 309-17, 2017.

Iwasaki Y, Deguchi A, Mori K, Ito M, Mimuro M, Yoshida M.
An autopsy case of a centenarian with the pathology of senile dementia of the
neurofibrillary tangle type.
Psychogeriatrics. 17(2):126-9, 2017.

Ino K, Nakase K, Nakamura A, Nakamori Y, Sugawara Y, Miyazaki K, Monma F,
Fujieda A, Sugimoto Y, Ohishi K, Masuya M, Katayama N.
Management of pulmonary mucomycosis based on a polymerase chain reaction (PCR)

diagnosis in patients with hematologic malignancies: a report of four cases.

Intern Med. 56(6): 707-11, 2017.

Takeuchi T, Yamaguchi M, Kobayashi K, Miyazaki K, Tawara I, Imai H, Ono R, Nosaka T, Tanaka K, Katayama N.

MYD88, CD79B, and CARD11 Gene Mutations in CD5-Positive Diffuse Large B-Cell Lymphoma.

Cancer. 123(7): 1166-73, 2017.

Nishikawa, M, Isshiki T, Kimura T, Ogawa H, Yokoi H, Miyazaki S, Ikeda Y, Nakamura M, Tanaka Y, Saito S.

Risk of bleeding and repeated bleeding events in prasugrel-treated patients: a review of data from the Japanese PRASFIT Studies.

Cardiovasc Interv Ther. 32(2): 93-105, 2017.

Ichiya T, Tanaka K, Rubio CA, Hammar U, Schmidt PT.

Evaluation of narrow-band imaging signs in eosinophilic and lymphocytic esophagitis.

Endoscopy. 49(5): 429-37, 2017.

Ikemura K, Oshima K, Enokiya T, Okamoto A, Oda H, Mizuno T, Ishinaga H, Muraki Y, Iwamoto T, Takeuchi K, Katayama N, Okuda M

Co-administration of proton pump inhibitors ameliorates nephrotoxicity in patients receiving chemotherapy with cisplatin and fluorouracil: a retrospective cohort study.

Cancer Chemother Pharmacol. 79(5): 943-9, 2017.

Muraoka D, Seo N, Hayashi T, Hyuga-Amaiike C, Okamori K, Tawara I, Harada N, Shiku H.

Signal-transducing adaptor protein-2 promotes generation of functional long-term memory CD8+ T cells by preventing terminal effector differentiation.

Oncotarget. 8(19): 30766-80, 2017.

Nagaharu K, Sugimoto Y, Hoshi Y, Yamaguchi T, Ito R, Matsubayashi K, Kawakami K, Ohishi K.

Persistent symptomatic parvovirus B19 infection with severe thrombocytopenia transmitted by red blood cell transfusion containing low parvovirus B19 DNA levels.

Transfusion. 57(6): 1414-8, 2017.

Nakase K, Kita K, Kyo T, Katayama N.

High expression of interleukin-2 receptor α -chain (CD25) in myelodysplastic syndrome preceding acute myeloid leukemia and chronic myeloid leukemia in myeloid blast crisis.

Leuk Lymphoma 58(5):1268-70,2017