
Accelerated Cranioplasty with Perforator-preserved Split Flap Sandwiched Plate for Treatment of Infected Cranial Defects

Okada Y, Narushima M, Banda CH, Danno K, Mitsui K, Shiraishi M, Shiba M, Suzuki Y, Ishiura R.
Plast Reconstr Surg Glob Open. 2022 Apr 8;10(4):e4234. doi: 10.1097/GOX.0000000000004234.
PMID: 35415062

Treatment of cold intolerance following finger pulp amputations: a case comparison between immediate finger replantation and delayed pulp and digital arterial arch reconstruction with flow-through free hypothenar flap

Ishiura R, Shiraishi M, Okada Y, Mitsui K, Hansini Banda C, Danno K, Narushima M.
Case Reports Plast Surg Hand Surg. 2021 Dec 27;9(1):33-36. 10.1080/23320885.2021.2020656
PMID: 34993273

Shaping the future of microsurgery: Combination of exoscope and smart glasses

Matsui C, Banda CH, Okada Y, Shiraishi M, Shimizu K, Mitsui K, Danno K, Ishiura R, Narushima M.
J Plast Reconstr Aesthet Surg. 2022 Feb;75(2):893-939. doi: 10.1016/j.bjps.2021.11.009.
PMID: 34852969

Free double-paddle superficial circumflex iliac perforator flap transfer for partial maxillectomy reconstruction: A case report

Yamamoto T, Yamamoto N, Ishiura R.
Microsurgery. 2022 Jan;42(1):84-88. doi: 10.1002/micr.30824.
PMID: 34617610

Posterior auricular artery free flap reconstruction of the retroauricular sulcus in microtia repair

Banda CH, Narushima M, Mitsui K, Danno K, Fujita M, Furuya M, Karakawa R, Ogishima S, Ishiura R.
J Plast Reconstr Aesthet Surg. 2021 Sep;74(9):2349-2357. doi:10.1016/j.bjps.2020.12.047
PMID: 33518502

Donor site morbidity of postauricular free flaps and full thickness skin grafts

Banda CH, Narushima M, Mitsui K, Danno K, Fujita M, Furuya M, Karakawa R, Ogishima S, Ishiura R.
J Plast Reconstr Aesthet Surg. 2021 Sep;74(9):2392-2442. doi: 10.1016/j.bjps.2021.03.004
PMID: 33811010

Dual imaging lymphangiography guided treatment of infantile chylothorax

Mitsui K, Narushima M, Ishiura R, Danno K, Sakakura Y, Banda CH.
J Vasc Surg Cases Innov Tech (2021) doi:10.1016/j.jvscit.2021.06.007
PMID: 34386679

Laparoscopic repair of segmental obturator nerve injury defect using an artificial nerve conduit: A case report

Matsumoto T, Banda CH, Kondo E, Yoshida K, Hirata T, Ikeda T, Narushima M.
J Obstet Gynaecol Res. 2021 Jul 14. doi: 10.1111/jog.14920.
PMID: 34263495

Successful treatment of large abdominal lymphatic malformations and chylous ascites with intra-abdominal lymphovenous anastomosis

Ishiura R, Mitsui K, Danno K, Banda CH, Inoue M, Narushima M.
J Vasc Surg Venous Lymphat Disord. 2021 Mar;9(2):499-503. doi: 10.1016/j.jvsv.2020.05.017
PMID: 32505686

Foot Web Space Transfer for Congenital Syndactyly

Tomioaka YK, Narushima M, Yamashita S, Ito A, Okazaki M.

Plast Reconstr Surg Glob Open. 2020 Dec 17;8(12):e3292. doi: 10.1097/GOX.0000000000003292

PMID: 33425604

Long-term results of vascularized proximal fibula epiphyseal transfer based on the anterior tibial artery in retrograde fashion

Ishiura R, Sawaizumi M.

Clin Case Rep. 2020 Mar 26;8(6):1069-1072. doi: 10.1002/ccr3.2810. eCollection 2020 Jun.

PMID: 32577267

Resection and Reconstruction of Giant Abdominoscrotal Arteriovenous Malformation

Danno K, Narushima M, Iida T, Banda C, Todokoro T, Tashiro K, Ishiura R, Mitsui K, Tone S, Mori H.

Plast Reconstr Surg Glob Open. 2020 Mar 27;8(3):e2725. doi: 10.1097/GOX.0000000000002725

PMID: 32537371

A supermicrosurgery pig foot training model for practice of lymphaticovenular anastomosis.

Banda CH, Mitsui K, Ishiura R, Danno K, Narushima M.

Microsurgery. 2020 Jan;40(1):91-92. doi: 10.1002/micr.30521

PMID: 31625619

A Sequential Thoracoacromial Artery Perforator Flap for Reconstructing the Donor Site of Sternocleidomastoid Myocutaneous Flaps: Extended Indications and Technical Modifications.

Song D, Pafitanis G, Reissis D, Koshima I, Zhang Y, Narushima M, Zhou X, Li Z.

Ann Plast Surg. 2020 Jun;84(6):657-664. doi: 10.1097/SAP.0000000000002042.

PMID: 31633535

Japanese clinical practice guidelines for vascular anomalies 2017.

Mimura H, Akita S, Fujino A, Jinnin M, Ozaki M, Osuga K, Nakaoka H, Morii E, Kuramochi A, Aoki Y, Arai Y, Aramaki N, Inoue M, Iwashina Y, Iwanaka T, Ueno S, Umezawa A, Ozeki M, Ochi J, Kinoshita Y, Kurita M, Seike S, Takakura N, Takahashi M, Tachibana T, Chuman K, Nagata S, Narushima M, Niimi Y, Nosaka S, Nozaki T, Hashimoto K, Hayashi A, Hirakawa S, Fujikawa A, Hori Y, Matsuoka K, Mori H, Yamamoto Y, Yuzuriha S, Rikihisa N, Watanabe S, Watanabe S, Kuroda T, Sugawara S, Ishikawa K, Sasaki S.

Jpn J Radiol. 2020 Apr;38(4):287-342. doi: 10.1007/s11604-019-00885-5.

PMID: 32207066

Japanese Clinical Practice Guidelines for Vascular Anomalies 2017.

Mimura H, Akita S, Fujino A, Jinnin M, Ozaki M, Osuga K, Nakaoka H, Morii E, Kuramochi A, Aoki Y, Arai Y, Aramaki N, Inoue M, Iwashina Y, Iwanaka T, Ueno S, Umezawa A, Ozeki M, Ochi J, Kinoshita Y, Kurita M, Seike S, Takakura N, Takahashi M, Tachibana T, Chuman K, Nagata S, Narushima M, Niimi Y, Nosaka S, Nozaki T, Hashimoto K, Hayashi A, Hirakawa S, Fujikawa A, Hori Y, Matsuoka K, Mori H, Yamamoto Y, Yuzuriha S, Rikihisa N, Watanabe S, Watanabe S, Kuroda T, Sugawara S, Ishikawa K, Sasaki S.

J Dermatol. 2020 May;47(5):e138-e183. doi: 10.1111/1346-8138.15189. Epub 2020 Mar 22.

PMID: 32200557

Japanese clinical practice guidelines for vascular anomalies 2017.

Mimura H, Akita S, Fujino A, Jinnin M, Ozaki M, Osuga K, Nakaoka H, Morii E, Kuramochi A, Aoki Y, Arai Y, Aramaki N, Inoue M, Iwashina Y, Iwanaka T, Ueno S, Umezawa A, Ozeki M, Ochi J, Kinoshita Y, Kurita M, Seike S, Takakura N, Takahashi M, Tachibana T, Chuman K, Nagata S, Narushima M, Niimi Y, Nosaka S, Nozaki T, Hashimoto K, Hayashi A, Hirakawa S, Fujikawa A, Hori Y, Matsuoka K, Mori H, Yamamoto Y, Yuzuriha S, Rikihisa N, Watanabe S, Watanabe S, Kuroda T, Sugawara S, Ishikawa K, Sasaki S.

Pediatr Int. 2020 Mar;62(3):257-304. doi: 10.1111/ped.14077. Epub 2020 Mar 22.

PMID: 32202048

Resection and Reconstruction of Giant Abdominoscrotal Arteriovenous Malformation.

Danno K, Narushima M, Iida T, Banda C, Todokoro T, Tashiro K, Ishiura R, Mitsui K, Tone S, Mori H.

Plast Reconstr Surg Glob Open. 2020 Mar 27;8(3):e2725. doi: 10.1097/GOX.0000000000002725. eCollection 2020 Mar.

PMID: 32537371

2019

Use of the transverse branch of the superficial circumflex iliac artery as a landmark facilitating identification and dissection of the deep branch of the superficial circumflex iliac artery for free flap pedicle: Anatomical study and clinical applications.

Yoshimatsu H, Yamamoto T, Hayashi A, Fuse Y, Karakawa R, Iida T, Narushima M, Tanakura K, Weninger WJ, Tzou CHJ.

Microsurgery. 2019 Nov;39(8):721-729. doi: 10.1002/micr.30518. Epub 2019 Oct 8.

PMID: 31591765

Challenges in global reconstructive microsurgery: The sub-Saharan african surgeons' perspective.

Banda CH, Georgios P, Narushima M, Ishiura R, Fujita M, Goran J.

JPRAS Open. 2019 Feb 4;20:19-26. doi: 10.1016/j.jpra.2019.01.009. eCollection 2019 Jun.

PMID: 32158868

Use of the Distal Facial Artery (Angular Artery) for Supermicrosurgical Midface Reconstruction.

Yoshimatsu H, Harima M, Iida T, Narushima M, Karakawa R, Nakatsukasa S, Yamamoto T, Hayashi A.

Plast Reconstr Surg Glob Open. 2019 Feb 5;7(2):e1978. doi: 10.1097/GOX.0000000000001978. eCollection 2019 Feb.

PMID: 30881816

Usefulness of ectopic implantation in multiple finger amputation injury.

Yoshida S, Koshima I, Narushima M, Nagamatsu S, Yokota K, Yamashita S, Harima M.

Clin Case Rep. 2019 Feb 7;7(3):546-549. doi: 10.1002/ccr3.2040. eCollection 2019 Mar.

PMID: 30899491

Necrotizing fasciitis with mediastinitis following snakebite envenomation.

Banda CH, N'gambi C.

SAGE Open Med Case Rep. 2019 Jan 9;7:2050313X18823090. doi: 10.1177/2050313X18823090. eCollection 2019.

PMID: 30671248

Intranodal lymphangiography with indocyanine green: Application in lymph node transfer and beyond.

Mitsui K, Banda C, Ishiura R, Fujita M, Narushima M.

J Plast Reconstr Aesthet Surg. 2019 Apr;72(4):685-710. doi: 10.1016/j.bjps.2019.01.017. Epub 2019 Jan 15.

PMID: 30709718

Optimal Sites for Supermicrosurgical Lymphaticovenular Anastomosis: An Analysis of Lymphatic Vessel Detection Rates on 840 Surgical Fields in Lower Extremity Lymphedema Patients.

Yamamoto T, Yamamoto N, Fuse Y, Narushima M, Koshima I.

Plast Reconstr Surg. 2018 Dec;142(6):924e-930e. doi: 10.1097/PRS.0000000000005042.

PMID: 30239498

Insights to establish early learning curve in clinical supermicrosurgery.

Pafitanis G, Narushima M, Yamamoto T, Miller R, Koshima I.

Microsurgery. 2019 Jan;39(1):100-101. doi: 10.1002/micr.30401. Epub 2018 Dec 17.

PMID: 30561056

Local Flaps with Negative Pressure Wound Therapy in Secondary Reconstruction of Myelomeningocele Wound Necrosis.

Banda CH, Narushima M, Ishiura R, Fujita M, Furuya M.

Plast Reconstr Surg Glob Open. 2018 Dec 14;6(12):e2012. doi: 10.1097/GOX.0000000000002012. eCollection 2018 Dec.

PMID: 30656109

Pure Skin Perforator Flaps: The Anatomical Vascularity of the Superthin Flap.

Narushima M, Yamasoba T, Iida T, Matsumoto Y, Yamamoto T, Yoshimatsu H, Timothy S, Pafitanis G, Yamashita S, Koshima I.

Plast Reconstr Surg. 2018 Sep;142(3):351e-360e. doi: 10.1097/PRS.0000000000004698.

PMID: 30148784

A simple method for lymphedema self-measurement using the Zozosuit bodysuit.

Banda CH, Ishiura R, Fujita M, Mitsui K, Narushima M.

J Plast Reconstr Aesthet Surg. 2019 Jan;72(1):137-171. doi: 10.1016/j.bjps.2018.08.029. Epub 2018 Sep 4.

PMID: 30219653

Half-transection method combined with intravascular stent for supermicrosurgical lymphaticovenular anastomosis.

Jing W, Narushima M.

J Plast Reconstr Aesthet Surg. 2018 Dec;71(12):1816-1834. doi: 10.1016/j.bjps.2018.07.035. Epub 2018 Aug 8.

PMID: 30122599

Skin perforator mapping method for anterolateral thigh flap using indocyanine green angiography.

Ishiura R, Fujita M, Furuya M, Banda C, Narushima M.

J Plast Reconstr Aesthet Surg. 2018 Oct;71(10):e64. doi: 10.1016/j.bjps.2018.07.031. Epub 2018 Aug 8.

PMID: 30139665

Ratio of Blood Glucose Level Change Measurement for Flap Monitoring.

Karakawa R, Yoshimatsu H, Narushima M, Iida T.

Plast Reconstr Surg Glob Open. 2018 Jul 16;6(7):e1851. doi: 10.1097/GOX.0000000000001851. eCollection 2018 Jul.

PMID: 30175016

Visualization of lymphatic ducts with preoperative ICG lymphography prevents donor-site lymphedema following PAP flap.

Ishiura R, Fujita M, Furuya M, Banda C, Narushima M.

J Plast Reconstr Aesthet Surg. 2018 Aug;71(8):1146-1152. doi: 10.1016/j.bjps.2018.05.046. Epub 2018 Jun 8.

PMID: 29936003

Visualization of lymphatic ducts with preoperative ICG lymphography prevents donor-site lymphedema following PAP flap.

Ishiura R, Fujita M, Furuya M, Banda C, Narushima M.

J Plast Reconstr Aesthet Surg. 2018 Aug;71(8):1146-1152. doi: 10.1016/j.bjps.2018.05.046. Epub 2018 Jun 8.

PMID: 29936003

Evolution of an evidence-based supermicrosurgery simulation training curriculum: A systematic review.

Pafitanis G, Narushima M, Yamamoto T, Raveendran M, Veljanoski D, Ghanem AM, Myers S, Koshima I.

J Plast Reconstr Aesthet Surg. 2018 Jul;71(7):976-988. doi: 10.1016/j.bjps.2018.04.005. Epub 2018 Apr 12.

PMID: 29773411

Lymphatic vessel diameter in female pelvic cancer-related lower extremity lymphedematous limbs.

Yamamoto T, Narushima M, Koshima I.

J Surg Oncol. 2018 May;117(6):1157-1163. doi: 10.1002/jso.24974. Epub 2018 Jan 22.

PMID: 29355996

2017

Successful treatment with dabigatran for consumptive coagulopathy associated with extensive vascular malformations.

Yasumoto A, Ishiura R, Narushima M, Yatomi Y.

Blood Coagul Fibrinolysis. 2017 Dec;28(8):670-674. doi: 10.1097/MBC.0000000000000666.

PMID: 28938309

Free anterolateral thigh full-thickness skin flap with vascularized lateral femoral cutaneous nerve for the reconstruction of facial nerve and external auditory canal after the resection of facial nerve schwannoma.

Karakawa R, Narushima M, Ogishima S, Hara H, Karino S, Iida T, Kakigi A, Koshima I.

SAGE Open Med Case Rep. 2017 Nov 16;5:2050313X17741825. doi: 10.1177/2050313X17741825. eCollection 2017.

PMID: 29201373

Hemi-Intravascular Stenting for Supermicrosurgical Anastomosis.

Tashiro K, Yamashita S, Narushima M, Koshima I, Miyamoto S.

Plast Reconstr Surg Glob Open. 2017 Nov 20;5(11):e1533. doi: 10.1097/GOX.0000000000001533. eCollection 2017 Nov.

PMID: 29263952

Factors Associated with Lymphosclerosis: An Analysis on 962 Lymphatic Vessels.

Yamamoto T, Yamamoto N, Yoshimatsu H, Narushima M, Koshima I.

Plast Reconstr Surg. 2017 Oct;140(4):734-741. doi: 10.1097/PRS.0000000000003690.

PMID: 28609348

Indocyanine Green Lymphography for Lymphedema Screening following Breast Cancer Treatment.
Yamamoto T, Yamamoto N, Ishiura R.
Plast Reconstr Surg. 2017 Jun;139(6):1365e-1366e. doi: 10.1097/PRS.0000000000003364.
PMID: 28207563

Comparison of Lymphovenous Shunt Methods in a Rat Model: Supermicrosurgical Lymphaticovenular Anastomosis versus Microsurgical Lymphaticovenous Implantation.
Ishiura R, Yamamoto T, Saito T, Mito D, Iida T.
Plast Reconstr Surg. 2017 Jun;139(6):1407-1413. doi: 10.1097/PRS.0000000000003354.
PMID: 28538568

A Unique Lymphaticovenous Supermicrosurgery Training Curriculum: Reflections on Validation and Competency Thresholds.
Pafitanis G, Narushima M, Harima M, Ghanem A, Myers S, Koshima I.
Plast Reconstr Surg Glob Open. 2017 Jun 23;5(6):e1382. doi: 10.1097/GOX.0000000000001392. eCollection 2017 Jun.
PMID: 28740789

Innervated dorsoradial perforator free flap: A reliable supermicrosurgery fingertip reconstruction technique.
Song D, Pafitanis G, Yang P, Narushima M, Li Z, Liu L, Wang Z.
J Plast Reconstr Aesthet Surg. 2017 Aug;70(8):1001-1008. doi: 10.1016/j.bjps.2017.05.038. Epub 2017 May 27.
PMID: 28601599

Pathological changes of adipose tissue in secondary lymphoedema.
Tashiro K, Feng J, Wu SH, Mashiko T, Kanayama K, Narushima M, Uda H, Miyamoto S, Koshima I, Yoshimura K.
Br J Dermatol. 2017 Jul;177(1):158-167. doi: 10.1111/bjd.15238. Epub 2017 Apr 2.
PMID: 28000916

Evaluation of the Upper Limb Lymphatic System: A Prospective Lymphoscintigraphic Study in Melanoma Patients and Healthy Controls.
Yamamoto T, Yamamoto N, Ishiura R.
Plast Reconstr Surg. 2017 Apr;139(4):1028e-1029e. doi: 10.1097/PRS.0000000000003204.
PMID: 28350688

Factors Associated with Lower Extremity Dysmorphia Caused by Lower Extremity Lymphoedema.
Yamamoto T, Yamamoto N, Yoshimatsu H, Narushima M, Koshima I.
Eur J Vasc Endovasc Surg. 2017 Jul;54(1):69-77. doi: 10.1016/j.ejvs.2017.02.032. Epub 2017 Apr 6.
PMID: 28392114

Pocketable ultrasonography for bedside flap monitoring.
Yamamoto T, Yamamoto N, Ishiura R.
Microsurgery. 2017 Sep;37(6):741-742. doi: 10.1002/micr.30185. Epub 2017 Apr 22.
PMID: 28432769

Thirty-micron needle for precise supermicrosurgery.
Yamamoto T, Yamamoto N, Ishiura R.
Microsurgery. 2017 Sep;37(6):735-736. doi: 10.1002/micr.30165. Epub 2017 Feb 16.
PMID: 28206687

Application of a multi-directional transformable retractor for lymphatic supermicrosurgery using SEKI method.

Yamamoto T, Yamamoto N, Ishiura R.

Microsurgery. 2017 Sep;37(6):729-730. doi: 10.1002/micr.30144. Epub 2016 Dec 23.

PMID: 28008654

Thunderbolt Technique: Novel Hemostatic Technique for Hemorrhage Related to Venous Infusion Catheter Drains.

Ishiura R, Matsumoto A, Shiozaki M, Miyashita H, Sawaizumi M.

Plast Reconstr Surg Glob Open. 2017 Jan 24;5(1):e1196. doi: 10.1097/GOX.0000000000001196. eCollection 2017 Jan.

PMID: 28203498