

## 英文原著

Suzuki K, Nakase K, Ino K, Sugawara Y, Sekine T, Katayama N:  
Breakthrough cryptococcosis in a patient with systemic lupus erythematosus (SLE)  
receiving micafungin.  
*J Infect Chemother.* 14(4):311-314, 2008

Ongol MP, Iguchi T, Tanaka M, Sone T, Ikeda H, Asano K, Nishimura T:  
Potential of selected strains of lactic acid bacteria to induce a Th1 immune profile.  
*Biosci Biotechnol Biochem.* 72(11):2847-2857, 2008

Yamamura K, Ohishi K, Masuya M, Miyata E, Sugimoto Y, Nakamura S, Fujieda A,  
Araki H, Katayama N:  
Ex vivo culture of human cord blood hematopoietic stem/progenitor cells adversely  
influences their distribution to other bone marrow compartments after intra-bone  
marrow transplantation.  
*Stem Cells.* 26(2):543-549, 2008.

Fujieda A, Masuya M, Kitano S, Miyazaki K, Yazaki A, Sugimoto Y, Usui E, Miyata E,  
Shibasaki T, Yamamura K, Ohishi K, Nishii K, Nakase K, Takeuchi T, Katayama N:  
Deletion of chromosome arm 15q in a case of minimally differentiated hypoplastic  
AML-M0.  
*Cancer Genet Cytogenet.* 184(1):57-61, 2008.

Miyata E, Masuya M, Yoshida S, Nakamura S, Kato K, Sugimoto Y, Shibasaki T,  
Yamamura K, Ohishi K, Nishii K, Ishikawa F, Shiku H, Katayama N:  
Hematopoietic origin of hepatic stellate cells in the adult liver.  
*Blood.* 111(4):2427-35, 2008.

Kaneko T, Wada H, Onishi K, Abe Y, Ota S, Yamada N, Matsumoto T, Katayama N,  
Sudou A, Uchida A, Nobori T:  
Cutoff values of D-dimer and FDP in plasma for the diagnosis of thrombosis.  
*Vasc Dis Prev.* 5(2):81-88, 2008

Miyazaki K, Yamaguchi M, Suguro M, Choi W, Ji Y, Xiao L, Zhang W, Ogawa S, Katayama N, Shiku H, Kobayashi T:

Gene Expression Profiling of Diffuse Large B-Cell Lymphoma Supervised by CD21 Expression.

Br J Haematol. 142(4):562–570, 2008

Saito K, Torii M, Ning Ma, Tsuchiya T, Wang L, Hori T, Nagakubo D, Nitta N, Kanegasaki S, Hieshima K, Yoshie O, Esteban C. Gabazza, Katayama N, Shiku H, Kuribayashi K, Kato T:

Differential regulatory function of resting and preactivated allergen-specific CD4+CD25+regulatory T cells in Th2-type airway inflammation.

J Immunol. 181(10) : 6889-97: 2008.

Hori T, Kuribayashi K, Uemoto S, Saito K, Wang L, Torii M, Shibutani S, Taniguchi K, Yagi S, Iida T, Yamamoto C, Kato T:

Alloantigen-specific prolongation of allograft survival in recipient mice treated by alloantigen immunization following ultraviolet-B irradiation.

Transpl Immunol. 19(1):45-54:2008

Wang L, Toda M, Saito K, Hori T, Horii T, Shiku H, Kuribayashi K, Kato T: Post-immune UV-irradiation induces Tr1-like regulatory T cells that suppress humoral immune responses.

Int Immunol. 20(1);57-70:2008

Matsumoto T, Wada H, Tamaru S, Sugimoto Y, Fujieda A, Yamamura K, Kobayashi T, Kaneko T, Yamaguchi M, Nobori T, Katayama N.:

Central venous catheter-related thrombosis after replacement therapy for intracranial bleeding in a patient with afibrinogenaemia.

Haemophilia. 14(1):153-6, 2008

Matsumoto T, Kaneko T, Seto M, Wada H, Kobayashi T, Nakatani K, Tonomura H, Tono Y, Ohyabu M, Nobori T, Shiku H, Sudo A, Uchida A, Kurosawa DJ, Kurosawa

S.:

The membrane proteinase 3 expression on neutrophils was downregulated after treatment with infliximab in patients with rheumatoid arthritis.

Clin Appl Thromb Hemost. 14(2):186-92, 2008

Tamaru S, Kitajima K, Nakano T, Eto K, Yazaki A, Kobayashi T, Matsumoto T, Wada H, Katayama N, Nishikawa M:

Calyculin A retraction of mature megakaryocytes proplatelets from embryonic stem cells.

Biochem Biophys Res Commun. 366(3): 763-8, 2008

Kobayashi T, Wada H, Nishioka N, Yamamoto M, Matsumoto T, Tamaru T, Nomura S, Masuya M, Mori Y, Nakatani K, Nishikawa M, Katayama N, Nobori T:

ADAMTS13 related markers and von Willebrand factor in plasma from patients with thrombotic microangiopathy (TMA).

Thromb Res. 121(6): 849-54, 2008

Ennishi D, Takeuchi K, Yokoyama M, Asai H, Mishima Y, Terui Y, Takahashi S,

Komatsu H, Ikeda K, Yamaguchi M, Suzuki R, Tanimoto M, Hatake K:

CD5 expression is potentially predictive of poor outcome among biomarkers in patients with diffuse large B-cell lymphoma receiving rituximab plus CHOP therapy.

Ann Oncol 19:1921-6, 2008

Yamaguchi M, Nakamura N, Suzuki R, Kagami Y, Okamoto M, Ichinohasama R, Yoshino T, Suzumiya J, Murase T, Miura I, Ohshima K, Nishikori M, Tamaru J-I, Taniwaki M, Hirano M, Morishima Y, Ueda R, Shiku H, Nakamura S.

*De novo* CD5<sup>+</sup> diffuse large B-cell lymphoma: Results of a detailed clinicopathological review in 120 patients.

Haematologica 93:1195-202, 2008

Shimada K, Matsue K, Yamamoto K, Murase T, Ichikawa N, Okamoto M, Niitsu N, Kosugi H, Tsukamoto N, Miwa H, Asaoku H, Kikuchi A, Matsumoto M, Saburi Y, Masaki Y, Yamaguchi M, Nakamura S, Naoe T, Kinoshita T.

A retrospective analysis of intravascular large B-cell lymphoma treated with rituximab-containing chemotherapies.

J Clin Oncol 26:3189-95, 2008

Yamaguchi M, Suzuki R, Kwong YL, Kim WS, Hasegawa Y, Izutsu K, Suzumiya J, Okamura T, Nakamura S, Kawa K, Oshimi K:

Phase I study of dexamethasone, methotrexate, ifosfamide, L-asparaginase, and etoposide (SMILE) chemotherapy for advanced-stage, relapsed or refractory extranodal natural killer (NK)/T-cell lymphoma and leukemia.

Cancer Sci 99:1016-20, 2008

Yoneda K, Sugimoto K, Shiraki K, Tanaka J, Beppu T, Fuke H, Yamamoto N, Masuya M, Horie R, Uchida K, Takei Y.

Dual topology of functional Toll-like receptor 3 expression in human hepatocellular carcinoma: differential signaling mechanisms of TLR3-induced NF-kappaB activation and apoptosis.

Int J Oncol. 33(5):929-36, 2008

Nishikawa H, Kato T, Hirayama M, Orito Y, Sato E, Harada N, Gnjatic S, Old LJ, Shiku H.:

Regulatory T cell-resistant CD8<sup>+</sup> T cells induced by GITR signaling

Cancer Res. 68(14):5948-5954, 2008

Nishikawa H, Tsuji T, Jager E, Briones G, Ritter G, Old LJ, Galan JE, Shiku H, Gnjatic S.:

Induction of regulatory T cell-resistant helper CD4<sup>+</sup> T cells by bacterial vector

Blood. 111(3):1404-1412, 2008

Hiasa A, Hirayama M, Nishikawa H, Kitano S, Nukaya I, Yu SS, Mineno J, Kato I and Shiku H.:

Long-term phenotypic, functional and genetic stability of cancer-specific T cell receptor (TCR) ab genes transduced to CD8<sup>+</sup> T cells.

Gene Ther. 15(9):695-699, 2008

Kageyama S, Kitano S, Hirayama M, Nagata Y, Imai H, Shiraishi T, Akiyoshi K, Scott AM, Murphy R, Hoffman EW, Old LJ, Katayama N, Shiku H:  
Humoral immune responses in patients vaccinated with 1-146 HER2 protein complexed with cholestryl pullulan nanogel.  
Cancer Sci 99(3):601-607, 2008

Tanaka K, Toyoda H, Kadowaki S, Hamada Y, Kosaka R, Matsuzaki S, Shiraishi T, Imoto I, Takei:  
Surface pattern classification by enhanced-magnification endoscopy for identifying early gastric cancers.  
Gastrointest Endosc 67:430-437, 2008

Tanaka K, Toyoda H, Hamada Y, Aoki M, Kosaka R, Noda T, Katsurahara M, Nakamura M, Ninomiya K, Inoue H, Imoto I:  
Duodenal metastasis of malignant melanoma observed by magnification endoscopy.  
Endoscopy 40 Suppl 2:E6-7, 2008

Tanaka K, Toyoda H, Imoto I, Hamada Y, Aoki M, Kosaka R, Noda T, Takei Y.  
Anemia caused by a gastric inflammatory fibroid polyp:  
Gastrointest Endosc 67:345-346, 2008

Tanaka K, Toyoda H, Hamada Y, Aoki M, Kosaka R, Noda T, Katsurahara M, Inoue H, Imoto I, Takei Y:  
Endoscopic submucosal dissection for early gastric cancer using magnifying endoscopy with a combination of narrow band imaging and acetic acid instillation.  
Digestive Endoscopy 20:150-153, 2008

Tanaka K, Toyoda H, Jaramillo E:  
Magnifying endoscopy in combination with narrow band imaging and acetic acid instillation in the diagnosis of Barrett's esophagus.  
In Niwa H, Tajiri H, Nakajima M, Yasuda K, eds. *New Challenges in Gastrointestinal Endoscopy*. Berlin: Springer, 2008; 153-160

Nomura H, Wada H, Mizuno T, Katayama N, Abe Y, Noda M, Nakatani K, Matsumoto T, Ota S, Yamada N, Sudo A, Uchida A, Nobori T:  
Negative predictive value of D-dimer for diagnosis of venous thromboembolism  
Int J Hematol 87(3):250-255, 2008

Yanada M, Sugiura I, Takeuchi J, Akiyama H, Maruta A, Ueda Y, Usui N, Yagasaki F, Yujiri T, Takeuchi M, Nishii K, Kimura Y, Miyawaki S, Narimatsu H, Miyazaki Y, Ohtake S, Jinnai I, Matsuo K, Naoe T, Ohno R; Japan Adult Leukemia Study Group:  
Prospective monitoring of BCR-ABL1 transcript levels in patients with Philadelphia chromosome-positive acute lymphoblastic leukaemia undergoing imatinib-combined chemotherapy.  
Br J Haematol. 143(4):503-10, 2008.

Yanada M, Takeuchi J, Sugiura I, Akiyama H, Usui N, Yagasaki F, Nishii K, Ueda Y, Takeuchi M, Miyawaki S, Maruta A, Narimatsu H, Miyazaki Y, Ohtake S, Jinnai I, Matsuo K, Naoe T, Ohno R; Japan Adult Leukemia Study Group:  
Karyotype at diagnosis is the major prognostic factor predicting relapse-free survival for patients with Philadelphia chromosome-positive acute lymphoblastic leukemia treated with imatinib-combined chemotherapy.  
Haematologica. 93(2):287-90, 2008.

Oka K, Nakamine H, Maeda K, Yamakawa M, Imai H, Tada K, Ito M, Watanabe Y, Suzuki H, Iwasa M, Tnaka I:  
Primary histiocytic sarcoma of the spleen associated with hemophagocytosis.  
Int J Hematol. 87(4):405-409, 2008

Kawakami K, Nishii K, Hyou R, Watanabe Y, Nakao M, Mitani H, Murata T, Monma F, Yamamori S, Hosokai N, Miura I:  
A case of acute myeloblastic leukemia with a novel variant of t(8;21)(q22;q22).  
Int J Hematol. 87(1):78-82, 2008

Kawakami K, Miyanishi S, Nakano Y, Mitani H, Nakao M, Murata T, Baba Y, Nakamura S:

Post-transplant plasmacytoma without Epstein-Barr virus infection occurring rapidly after unrelated allogeneic bone marrow transplantation.

Int J Hematol. 88(5):606-609, 2008