

英文原著 2013 年度

Yamaguchi M, Tobinai K. NK-cell neoplasms, in Foss F (ed): T-Cell Lymphomas, Springer Science + Business Media, New York, NY, USA, 2013, pp 87-103. (Book Chapter)

Tobinai K, Yamaguchi M. Treatment of extranodal NK/T cell lymphoma, nasal type. UpToDate®, Wolters Kluwer, Waltham, MA, USA.

Tawara I, Liu C, Tamaki H, Toubai T, Sun Y, Evers R, Nieves E, Mathewson N, Nunez G, Reddy P.

Influence of Donor Microbiota on the Severity of Experimental Graft-versus-Host-Disease.

Biol Blood Marrow Transplant. 19(1):164-168, 2013.

Hirayama M, Azuma E, Nakagawa-Nakazawa A, Kumamoto T, Iwamoto S, Amano K, Tamaki S, Usui E, Komada Y.

Interleukin-10 spot-forming cells as a novel biomarker of chronic graft-versus-host disease.

Haematologica 98(1):41-49, 2013.

Kar SA, Jankowska A, Makishima H, Visconte V, Jerez A, Sugimoto Y, Muramatsu H, Traina F, Afable M, Guinta K, Tiu RV, Przychodzen B, Sakaguchi H, Kojima S, Sekeres MA, List AF, McDevitt MA, Maciejewski JP.

Spliceosomal gene mutations are frequent events in the diverse mutational spectrum of chronic myelomonocytic leukemia but largely absent in juvenile myelomonocytic leukemia.

Haematologica 98(1):107-113, 2013.

Tamai Y and Kobayashi K.

Acute cholangitis associated with ceftriaxone therapy.

Intern Med. 52(3):403-404, 2013.

Tanaka S, Yanagihara K, Tamaru S, Teramukai S, Kitano T, Fukushima M.
Difference in survival and prognostic factors between smokers and never-smokers with advanced non-small-cell lung cancer.
Int J Clin Oncol. 18(1):17-25, 2013.

Soga N, Hori Y, Yamakado K, Ikeda H, Imai N, Kageyama S, Nakase K, Yuta A, Hayashi N, Shiku H, Sugimura Y.
Limited expression of cancer-testis antigens in renal cell carcinoma patients.
Mol Clin Oncol. 1(2):326-330, 2013.

Ishihara M, Mukai H, Nagai S, Onozawa M, Nihei K, Shimada T, Wada N.
Retrospective analysis of risk factors for central nervous system metastases in operable breast cancer: effects of biologic subtype and Ki67 overexpression on survival.
Oncology 84(3):135-140, 2013.

Habe K, Wada H, Matsumoto T, Ohishi K, Ikejiri M, Matsubara K, Morioka T, Kamimoto Y, Ikeda T, Katayama N, Nobori T, Mizutani H.
Presence of antiphospholipid antibody is a risk factor in thrombotic events in patients with antiphospholipid syndrome or relevant diseases.
Int J Hematol. 97(3):345-350, 2013.

Suzuki K, Oda H, Sugawara Y, Masuya M, Nakase K, Fujioka M, Imai H, Katayama N.
Oxaliplatin-induced acute thrombocytopenia: a case report and review of the literature.
Intern Med. 52(5):611-615, 2013.

Nakata T, Miyahara M, Nakatani K, Wada H, Tanigawa T, Komada F, Hoshino K, Aoki T, Nishimura Y, Tamaru S, Ito M, Nishikawa M; McLordd Group.
Relationship between CYP2C19 loss-of-function polymorphism and platelet reactivities with clopidogrel treatment in Japanese patients undergoing coronary stent implantation.
Circ J. 77(6):1436-1444, 2013.

Kawakami K, Yazaki A, Ito R, Tono Y, Murata T, Baba Y, Uchiyama T, Imai H, Nakamura S.

Refractory case of ALK-negative anaplastic large-cell lymphoma with Pax-5 expression and T-cell receptor- γ gene rearrangement.
J Clin Exp Hematop. 53(3):251-254, 2013.

Liu B, Ohishi K, Orito Y, Nakamori Y, Nishikawa H, Ino K, Suzuki K, Matsumoto T, Masuya M, Hamada H, Mineno J, Ono R, Nosaka T, Shiku H, Katayama N.
Manipulation of human early T lymphopoiesis by coculture on human bone marrow stromal cells: Potential utility for adoptive immunotherapy.
Exp Hematol. 41(4):367-376, 2013.

Sugawara Y, Nakase K, Nakamura A, Ohishi K, Sugimoto Y, Fujieda A, Monma F, Suzuki K, Masuya M, Matsushima Y, Wada H, Nobori T, Katayama N.
Clinical utility of a panfungal polymerase chain reaction assay for invasive fungal diseases in patients with haematologic disorders.
Eur J Haematol. 90(4):331-339, 2013.

Hirayama M, Nishikawa H, Nagata Y, Tsuji T, Kato T, Kageyama S, Ueda S, Sugiyama D, Hori S, Sakaguchi S, Ritter G, Old LJ, Gnjatic S, Shiku H.
Overcoming regulatory T-cell suppression by a lyophilized preparation of Streptococcus pyogenes.
Eur J Immunol. 43(4):989-1000, 2013.

Rubio CA, Tanaka K, Befrits R.
Traditional serrated adenoma in a patient with Barrett's esophagus.
Anticancer Res. 33(4):1743-1745, 2013.

Toubai T, Sun Y, Luker G, Liu J, Luker KE, Tawara I, Evers R, Liu C, Mathewson N, Malter C, Nieves E, Choi S, Murphy KM, Reddy P.
Host-derived CD8+ dendritic cells are required for induction of optimal graft-versus-tumor responses after experimental allogeneic bone marrow transplantation.
Blood. 121(10):4231-4241, 2013.

Miwa H, Shikami M, Goto M, Mizuno S, Takahashi M, Tsunekawa-Imai N, Ishikawa T, Mizutani M, Horio T, Gotou M, Yamamoto H, Wakabayashi M, Watarai M, Hanamura I, Imamura A, Mihara H, Nitta M.

Leukemia cells demonstrate a different metabolic perturbation provoked by 2-deoxyglucose.

Oncol Rep. 29(5):2053-2057, 2013.

Seki Y, Wada H, Kawasugi K, Okamoto K, Uchiyama T, Kushimoto S, Hatada T, Matsumoto T, Imai H.

Elevated fibrin-related markers in patients with malignant diseases frequently associated with disseminated intravascular coagulation and venous thromboembolism.

Intern Med. 52(17):1893-1898, 2013.

Khan SN, Jankowska AM, Mahfouz R, Dunbar AJ, Sugimoto Y, Hosono N, Hu Z, Cheriyath V, Vatolin S, Przychodzen B, Reu FJ, Saunthararajah Y, O'Keefe C, Sekeres MA, List AF, Moliterno AR, McDevitt MA, Maciejewski JP, Makishima H.

Multiple mechanisms deregulate EZH2 and histone H3 lysine 27 epigenetic changes in myeloid malignancies.

Leukemia 27(6):1301-1309, 2013.

Iwami K, Natsume A, Ohno M, Ikeda H, Mineno J, Nukaya I, Okamoto S, Fujiwara H, Yasukawa M, Shiku H, Wakabayashi T.

Adoptive transfer of genetically modified Wilms' tumor 1-specific T cells in a novel malignant skull base meningioma model.

Neuro Oncol. 15(6):747-758, 2013.

Suzuki K, Nakamura A, Enokiya Y, Iwashita Y, Tomatsu E, Muraki Y, Kaneko T, Okuda M, Katayama N, Imai H.

Septic arthritis subsequent to urosepsis caused by hypermucoviscous Klebsiella pneumoniae.

Intern Med. 52(14):1641-1645, 2013.

Ono R, Masuya M, Nakajima H, Enomoto Y, Miyata E, Nakamura A, Ishii S, Suzuki K, Shibata-Minoshima F, Katayama N, Kitamura T, Nosaka T.

Plzf drives MLL-fusion-mediated leukemogenesis specifically in long-term hematopoietic stem cells.

Blood 122 (7): 1241-1283, 2013.

Kawabata H, Oda I, Suzuki H, Nonaka S, Yoshinaga S, Katai H, Taniguchi H, Kushima R, Saito Y.

Bone metastasis from early gastric cancer following non-curative endoscopic submucosal dissection.

World J Gastroenterol. 19(30):5016-5020, 2013.

Katoh D, Nagaharu K, Shimojo N, Hanamura N, Yamashita M, Kozuka Y, Imanaka-Yoshida K, Yoshida T.

Binding of avb1 and avb6 integrins to tenascin-C induces epithelial-mesenchymal transition-like change of breast cancer cells.

Oncogenesis 2:e65, 2013.

Tsunekawa-Imai N, Miwa H, Shikami M, Suganuma K, Goto M, Mizuno S, Takahashi M, Mizutani M, Horio T, Komatsubara H, Gotou M, Yamamoto H, Wakabayashi M, Watarai M, Hanamura I, Imamura A, Mihara H, Nitta M.

Growth of xenotransplanted leukemia cells is influenced by diet nutrients and is attenuated with 2-deoxyglucose.

Leuk Res. 37(9):1132-1136, 2013.

Inoue H, Yamada R, Takei Y.

'Double guidewire in one catheter' method for a difficult endoscopic retrograde cholangiopancreatography cannulation (with video).

Dig Endosc. 25; 550-551, 2013.

Kageyama S, Wada H, Muro K, Niwa Y, Ueda S, Miyata H, Takiguchi S, Sugino SH, Miyahara Y, Ikeda H, Imai N, Sato E, Yamada T, Osako M, Ohnishi M, Harada N,

Hishida T, Doki Y, Shiku H.

Dose-dependent effects of NY-ESO-1 protein vaccine complexed with cholesteryl pullulan (CHP-NY-ESO-1) on immune responses and survival benefits of esophageal cancer patients.

J Transl Med. 11:246, 2013.

Hasegawa M, Wada H, Wakabayashi H, Yoshida K, Miyamoto N, Asanuma K, Matsumoto T, Ohishi K, Shimokariya Y, Yamada N, Uchida A, Sudo A.

The relationships among hemostatic markers, the withdrawal of fondaparinux due to a reduction in hemoglobin and deep vein thrombosis in Japanese patients undergoing major orthopedic surgery.

Clin Chim Acta. 425:109-113, 2013.

Tanaka K, Rubio CA, Dlugosz A, Truskaite K, Befrits R, Lindberg G, Schmidt PT.

Narrow-band imaging magnifying endoscopy in adult patients with eosinophilic esophagitis/esophageal eosinophilia and lymphocytic esophagitis.

Gastrointest Endosc. 78(4):659-64, 2013.

Sun Y, Tawara I, Zhao M, Qin ZS, Toubai T, Mathewson N, Tamaki H, Nieves E, Chinnaian AM, Reddy P.

Allogeneic T cell responses are regulated by a specific miRNA-mRNA network.

J Clin Invest. 123(11):4739-4754, 2013.

Hasegawa M, Horiki N, Tanaka K, Wakabayashi H, Tano S, Katsurahara M, Uchida A, Takei Y, Sudo A.

The efficacy of rebamipide add-on therapy in arthritic patients with COX-2 selective inhibitor-related gastrointestinal events: a prospective, randomized, open-label blinded-endpoint pilot study by the GLORIA study group.

Mod Rheumatol. 23(6):1172-8, 2013.

Ohi M, Yasuda H, Ishino Y, Katsurahara M, Saigusa S, Tanaka K, Tanaka K, Mohri Y, Inoue Y, Uchida K, Kusunoki M.

Single-incision laparoscopic and endoscopic cooperative surgery for gastrointestinal stromal tumor arising from the duodenum.

Asian J Endosc Surg. 6(4): 307-10, 2013.

Tsuji-Kawahara S, Kawabata H, Matsukuma H, Kinoshita S, Chikaishi T, Sakamoto M, Kawasaki Y, Miyazawa M.

Differential requirements of cellular and humoral immune responses for Fv2-associated resistance to erythroleukemia and for the regulation of retrovirus-induced myeloid leukemia development.

J Virol. 87(24):13760-13774, 2013.

Choi SW, Braun T, Chang L, Ferrara JL, Pawarode A, Magenau JM, Hou G, Beumer JH, Levine JE, Goldstein S, Couriel DR, Stockerl-Goldstein K, Krijanovski OI, Kitko C, Yanik GA, Lehmann MH, Tawara I, Sun Y, Paczesny S, Mapara MY, Dinarello CA, Dipersio JF, Reddy P.

Vorinostat plus tacrolimus and mycophenolate to prevent graft-versus-host disease after related-donor reduced-intensity conditioning allogeneic haemopoietic stem-cell transplantation: a phase 1/2 trial.
Lancet Oncol. 15:87-95, 2014.

Traina F, Visconte V, Elson P, Tabarroki A, Jankowska AM, Hasrouni E, Sugimoto Y, Szpurka H, Makishima H, O'Keefe CL, Sekeres MA, Advani AS, Kalaycio M, Copelan EA, Saunthararajah Y, Olalla Saad ST, Maciejewski JP, Tiu RV.

Impact of molecular mutations on treatment response to DNMT inhibitors in myelodysplasia and related neoplasms.
Leukemia 28(1):78-87, 2014.

Asai H, Fujiwara H, Kitazawa S, Kobayashi N, Ochi T, Miyazaki Y, Ochi F, Akatsuka Y, Okamoto S, Mineno J, Kuzushima K, Ikeda H, Shiku H, Yasukawa M.

Adoptive transfer of genetically engineered WT1-specific cytotoxic T lymphocytes does not induce renal injury.

J Hematol Oncol. 7:3, 2014.

Ino K, Masuya M, Tawara I, Miyata E, Oda K, Nakamori Y, Suzuki K, Ohishi K, Katayama N.

Monocytes Infiltrate the Pancreas via the MCP-1/CCR2 Pathway and Differentiate into Stellate Cells.

PLOS One 2014;9(1): e84889.

Goto M, Miwa H, Suganuma K, Tsunekawa-Imai N, Shikami M, Mizutani M, Mizuno S, Hanamura I, Nitta M.

Adaptation of leukemia cells to hypoxic condition through switching the energy metabolism or avoiding the oxidative stress.

BMC Cancer 14:76, 2014.

Katsurahara M, Horiki N, Tano S, Hamada Y, Tanaka K, Inoue H, Takei Y.

Colonic xanthoma: a rare non-neoplastic polypoid lesion.

Endoscopy 46 Suppl 1 UCTN: E53, 2014.

Yamashita Y, Naitoh K, Wada H, Ikejiri M, Mastumoto T, Ohishi K, Hosaka Y, Nishikawa M, Katayama N.

Elevated plasma levels of soluble platelet glycoprotein VI (GPVI) in patients with thrombotic microangiopathy.

Thromb Res. 133(3):440-444, 2014.

Yamashita Y, Wada H, Nomura H, Mizuno T, Saito K, Yamada N, Asanuma K, Usui M, Kamimoto Y, Matsumoto T, Ohishi K, Katayama N.

Elevated Fibrin-related Markers in Patients with Malignant Diseases Frequently Associated with Disseminated Intravascular Coagulation and Venous Thromboembolism.

Intern Med. 53(5):413-419, 2014.

Inoue H, Yamada R, Takei Y.

Spontaneous fistulization of infected walled-off pancreatic necrosis into the duodenum and colon.

Dig Endosc. 26 (2): 293, 2014.

Hamada Y, Tanaka K, Tano S, Kitade T, Katsurahara M, Horiki N, Takei Y.

Pyogenic granuloma mimicking a colon cancer.

Endoscopy 46 Suppl 1 UCTN: E153-4, 2014.

Inoue H, Tameda M, Yamada R, Tano S, Kasturahara M, Hamada Y, Tanaka K, Horiki N, Takei Y.

Pancreatic hamartoma: a rare cause of obstructive jaundice.

Endoscopy 46 Suppl 1 UCTN: E157-8, 2014.

Katsurahara M, Horiki N, Kitade T, Hamada Y, Tanaka K, Inoue H, Yamamoto N, Takei Y.

Acute colonic intramural hematoma: a rare complication of colonoscopy.

Endoscopy 46 Suppl 1 UCTN: E180-1, 2014.

Iwashita Y, Tomoyuki E, Suzuki K, Yokoyama K, Yamamoto A, Ishikura K, Okuda M, Imai H.

Arbekacin treatment of a patient infected with a *Pseudomonas putida* producing a metallo-beta-lactamase.

Journal of Intensive Care 1(3):ePub, 2013.

Iwashita Y, Suzuki K, Masui A, Kawamoto E, Yokoyama K, Yamamoto A, Omori Y, Ishikura K, Hatada T, Fujioka M, Takeda T, Imai H.

A case of *Strongyloides* hyperinfection associated with tuberculosis.

Journal of Intensive Care 1(7):ePub, 2013.

Suzuki K, Umaoka A, Katayama N, Imai H.

Transient extensive hepatic portal venous gas following hypotension in a dialysis patient.

BMJ case report doi: 10.1136/bcr-2013-009162, 2013.

Hiasa A, Nakase K, Fukutome K, Nomura H, Ueno S, Mizuno T, Katayama N, Takeuchi T.

Lung adenocarcinoma in a patient with plasmacytoma.

Case Rep in Hematol. 2013:726437, 2013.

Kaneko T, Nakatsuka A, Hasegawa T, Fujita M, Souma T, Sakuma H, Tomimoto H. Postmortem computed tomography is an informative approach to determining inpatient cause of death but two factors require noting from the viewpoint of patient safety.

Journal of Healthcare Technology and Management 1:1-9, 2013.