

英文原著

(オンライン著書)

Yamaguchi M, Suzuki R.

Treatment of extranodal NK/T cell lymphoma, nasal type.

UpToDate®, Wolters Kluwer, Waltham, MA, USA. (2011 年より継続)

Mori Y, Deguchi A, Miwa C, Shimasaki H, Nakamura T, Hamaguchi M, Isshiki H.
Changes in core and skin temperatures, skin blood flow and subjective responses during sauna at a radioactive spring.
J Balneol Climatol Phys Med 80:144-54, 2017.

Sawai T, Dohi K, Fujimoto N, Okubo S, Isaka N, Ichikawa T, Makino K, Okamoto S, Koyabu S, Kitamura T, Ogura T, Yamada T, Tamaru S, Nishikawa M, Nakamura M, Ito M; OWASE Study Investigators.

Antialbuminuric effect of eplerenone in comparison to thiazide diuretics in patients with hypertension.

J Clin Hypertens (Greenwich) 19(10):990-8, 2017.

Ino K, Fuji S, Tajima K, Tanaka T, Okinaka K, Inamoto Y, Kurosawa S, Kim SW, Katayama N, Fukuda T.

Clinical Utility of Wilms' Tumor 1 Monitoring in Patients with Myeloid Malignancy and Prior Allogeneic Hematopoietic Stem Cell Transplantation.

Biol Blood Marrow Transplant 23(10):1780-7, 2017.

Minami H, Nagaharu K, Nakamori Y, Ohishi K, Shimojo N, Kageyama Y, Matsumoto T, Sugimoto Y, Tawara I, Masuya M, Miwa H, Katayama N.

CXCL12-CXCR4 Axis Is Required for Contact-Mediated Human B Lymphoid and Plasmacytoid Dendritic Cell Differentiation but Not T Lymphoid Generation.

J Immunol 199(7):2343-55, 2017.

Nagaharu K, Sugimoto Y, Hoshi Y, Yamaguchi T, Ito R, Matsubayashi K, Kawakami K, Ohishi K.

Persistent symptomatic parvovirus B19 infection with severe thrombocytopenia transmitted by red blood cell transfusion containing low parvovirus B19 DNA levels.

Transfusion 57(6):1414-8, 2017.

Akeda K, Ohishi K, Masuda K, Bae WC, Takegami N, Yamada J, Nakamura T, Sakakibara T, Kasai Y, Sudo A.

Intradiscal Injection of Autologous Platelet-Rich Plasma Releasate to Treat Discogenic Low Back Pain: A Preliminary Clinical Trial.

Asian Spine J 11(3):380-9, 2017.

Nakanishi H, Doyama H, Ishikawa H, Uedo N, Gotoda T, Kato M, Nagao S, Nagami Y, Aoyagi H, Imagawa A, Kodaira J, Mitsui S, Kobayashi N, Muto M, Takatori H, Abe T, Tsujii M, Watari J, Ishiyama S, Oda I, Ono H, Kaneko K, Yokoi C, Ueo T, Uchita K, Matsumoto K, Kanesaka T, Morita Y, Katsuki S, Nishikawa J, Inamura K, Kinjo T, Yamamoto K, Yoshimura D, Araki H, Kashida H, Hosokawa A, Mori H, Yamashita H, Motohashi O, Kobayashi K, Hirayama M, Kobayashi H, Endo M, Yamano H, Murakami K, Koike T, Hirasawa K, Miyaoka Y, Hamamoto H, Hikichi T, Hanabata N, Shimoda R, Hori S, Sato T, Kodashima S, Okada H, Mannami T, Yamamoto S, Niwa Y, Yashima K, Tanabe S, Satoh H, Sasaki F, Yamazato T, Ikeda Y, Nishisaki H, Nakagawa M, Matsuda A, Tamura F, Nishiyama H, Arita K, Kawasaki K, Hoppo K, Oka M, Ishihara S, Mukasa M, Minamino H, Yao K.

Evaluation of an e-learning system for diagnosis of gastric lesions using magnifying narrow-band imaging: a multicenter randomized controlled study.

Endoscopy 49(10):957-67, 2017.

Hiroshi Okano, Tomomasa Tochio, HIroaki Kumazawa, Yoshiaki Isono, Hiroki Tanaka, Shimpei Matsusaki, Tomohiro Sase, Tomonori Saito, Katsumi Mukai, Akira Nishimura, Tetsuya Kitamura, Takuya Mori.

A case of diminished pericardial effusion after treatment of a giant hepatic cyst

Clin J Gastroenterol (10):377-82, 2017.

Kaneko M, Tanaka K, Naota H, Kobayashi K.

Successful endoscopic treatment for gastric mural abscess due to fish bone migration.

Ann Gastroenterology. 30(6):697, 2017.

Ino K, Nakase K, Nakamura A, Nakamori Y, Sugawara Y, Miyazaki K, Monma F, Fujieda A, Sugimoto Y, Ohishi K, Masuya M, Katayama N. Management of Pulmonary Mucormycosis Based on a Polymerase Chain Reaction (PCR) Diagnosis in Patients with Hematologic Malignancies: A Report of Four Cases.

Intern Med 56(6):707-11, 2017.

Habe K, Wada H, Higashiyama A, Akeda T, Tsuda K, Mori R, Kakeda M, Matsumoto T, Ohishi K, Yamanaka K, Katayama N, Mizutani H.

The Plasma Levels of ADAMTS-13, von Willebrand Factor, VWFpp, and Fibrin-Related Markers in Patients With Systemic Sclerosis Having Thrombosis.

Clin Appl Thromb Hemost Jan 1:1076029617736382, 2017.

Matsumoto T, Wada H, Fujimoto N, Toyoda J, Abe Y, Ohishi K, Yamashita Y, Ikejiri M, Hasegawa K, Suzuki K, Imai H, Nakatani K, Katayama N.

Evaluation of the Activated Partial Thromboplastin Time Waveform.

Clin Appl Thromb Hemost Jan 1:1076029617724230, 2017.

Aota T, Wada H, Fujimoto N, Yamashita Y, Matsumoto T, Ohishi K, Suzuki K, Imai H, Usui M, Isaji S, Uchiyama T, Seki Y, Katayama N.

Evaluation of the Diagnostic Criteria for the Basic Type of DIC Established by the Japanese Society of Thrombosis and Hemostasis.

Clin Appl Thromb Hemost 23(7):838-43, 2017.

Aota T, Wada H, Yamashita Y, Matsumoto T, Ohishi K, Suzuki K, Imai H, Usui M, Isaji S, Asakura H, Okamoto K, Katayama N.

An Evaluation of the Modified Diagnostic Criteria for DIC Established by the Japanese Society of Thrombosis and Hemostasis.

Clin Appl Thromb Hemost 23(6):579-84, 2017.

Kamimoto Y, Wada H, Ikejiri M, Nakatani K, Sugiyama T, Osato K, Murabayashi N, Habe K, Mizutani H, Matsumoto T, Ohishi K, Ikeda T.

Hypofibrinogenemia and the α -Fibrinogen Thr312Ala Polymorphism may be Risk Factors for Early Pregnancy Loss.

Clin Appl Thromb Hemost 23(1):52-7, 2017.

Tanaka K, Hamada Y, Nakamura M, Yamada R, Takei Y.

Hymenolepis nana infection detected by magnifying colonoscopy with narrow-band imaging (with video).

Gastrointest Endosc 86(5):923-4, 2017.

Yamaguchi M, Miyazaki K.

Current treatment approaches for NK/T-cell lymphoma.

J Clin Exp Hematop 57(3): 98-108, 2017 (Review)

Yamaguchi M.

Topics on the molecular pathogenesis and therapeutic approaches for T/NK-cell lymphoma.

J Clin Exp Hematop 57(3): 85-6, 2017 (Editorial)

Tanaka Y, Ohishi K, Sawai T, Iwasaki H, Kageyama S, Masuya M, Matsumoto T, Tanigawa T, Wada H, Shiku H, Ito M, Katayama N.

Attempt to Harvest a Sufficient Number of Mononuclear Cells in an Appropriate Blood Product Volume by Modification of the Default Apheresis Setting.

Ther Apher Dial 21(5):507-11, 2017.

Uemura S, Suzuki K, Katayama N, Imai H.

Superior mesenteric artery syndrome leading to reversible mucosal gangrene.

Acute Med Surg. 4(3):375-6, 2017.

Tawara I, Kageyama S, Miyahara Y, Fujiwara H, Nishida T, Akatsuka Y, Ikeda H, Tanimoto K, Terakura S, Murata M, Inaguma Y, Masuya M, Inoue N, Kidokoro T, Okamoto S, Tomura D, Chono H, Nukaya I, Mineno J, Naoe T, Emi N, Yasukawa M, Katayama N, Shiku H.

Safety and persistence of WT1-specific T-cell receptor gene-transduced lymphocytes in patients with AML and MDS.

Blood 130(18):1985-94, 2017.

Komatsu N, Kiritó K, Shimoda K, Ishikawa T, Ohishi K, Ohyashiki K, Takahashi N, Okada H, Amagasaki T, Yonezu T, Akashi K.

Assessing the safety and efficacy of ruxolitinib in a multicenter, open-label study in Japanese patients with myelofibrosis.

Int J Hematol 105(3):309-17, 2017.

Kaneko M, Tanaka K, Naota H, Kobayashi K.

Successful endoscopic treatment for gastric mural abscess due to fish bone migration.

Ann Gastroenterol 30(6):697, 2017.

Yamada R, Tanaka K, Inoue H, Sakuno T, Harada T, Yoshizawa N, Miura H, Takeuchi T, Nakamura M, Katsurahara M, Hamada Y, Horiki N, Takei Y.
Pancreatic Adenocarcinoma Producing Parathyroid Hormone-Related Protein.
Case Rep Oncol Med 2017;2017:5656130. doi: 10.1155/2017/5656130.

Harada S, Nagaharu K (corresponding author, equally contribution) , Baba Y, Murata T, Mizuno T, Kawakami K
Spontaneous tumor lysis syndrome in a patient with a dedifferentiated endometrial adenocarcinoma
Case Rep Oncol Med. 2017; 2017: 5103145.

Nakase K, Kita K, Kyo T, Katayama N.
High expression of interleukin-2 receptor α -chain (CD25) in myelodysplastic syndrome preceding acute myeloid leukemia and chronic myeloid leukemia in myeloid blast crisis.
Leuk Lymph 58:1268-1270,2017.

Nakase K, Kita K, Katayama N.
Prognostication of acute myeloid leukemia needs incorporation of CD25 status.
J Blood Lymph 7:4,2017.

Nakase K, Kita K, Katayama N.
IL-2/IL-3 interplay mediates growth of CD25 positive acute myeloid leukemia cells.
Med Hypotheses 115:5-7,2018.

Seo N, Shirakura Y, Tahara Y, Momose F, Harada N, Ikeda H, Akiyoshi K, Shiku H.
Activated CD8 $^{+}$ T cell extracellular vesicles prevent tumour progression by targeting of lesional mesenchymal cells.
Nat Commun 9(1):435, 2018.

Abiko T, Tsuchikawa T, Miyauchi K, Wada M, Kyogoku N, Shichinohe T, Miyahara Y, Kageyama S, Ikeda H, Shiku H, Hirano S.
Serum immunoglobulin E response as a marker for unfavorable prognosis following cholesteryl pullulan-MAGE A4 vaccination.
Oncol Lett 15(3):3703-11, 2018.

Wada M, Tsuchikawa T, Kyogoku N, Abiko T, Miyauchi K, Takeuchi S, Kuwatani T, Shichinohe T, Miyahara Y, Kageyama S, Ikeda H, Shiku H, Hirano S.

Clinical Implications of CD4+CD25+Foxp3+Regulatory T Cell Frequencies After CHP-MAGE-A4 Cancer Vaccination.

Anticancer Res 38(3):1435-44, 2018.

Tono Y, Ishihara M, Miyahara Y, Tamaru S, Oda H, Yamashita Y, Tawara I, Ikeda H, Shiku H, Mizuno T, Katayama N.

Pertuzumab, trastuzumab and eribulin mesylate therapy for previously treated advanced HER2-positive breast cancer: a feasibility study with analysis of biomarkers. Oncotarget 9(19):14909-21, 2018.

Kaneko M, Tanaka K, Kobayashi K.

An Unusual Lesion in the Ascending Colon.

Gastroenterology. 2018 Jun;154(8):2037-2038.

Takahashi N, Tauchi T, Kitamura K, Miyamura K, Saburi Y, Hatta Y, Miyata Y, Kobayashi S, Usuki K, Matsumura I, Minami Y, Usui N, Fukuda T, Takada S, Ishikawa M, Fujimaki K, Gomyo H, Sasaki O, Ohishi K, Miyake T, Imai K, Suzushima H, Mitsui H, Togitani K, Kiguchi T, Atsuta Y, Ohtake S, Ohnishi K, Kobayashi Y, Kiyo H, Miyazaki Y, Naoe T; Japan Adult Leukemia Study Group.

Deeper molecular response is a predictive factor for treatment-free remission after imatinib discontinuation in patients with chronic phase chronic myeloid leukemia: the JALSG-STIM213 study.

Int J Hematol 107(2):185-93, 2018.

Kirito K, Okamoto S, Ohishi K, Tauchi T, Handa H, Saito S, Takenaka K, Shimoda K, Oritani K, Akashi K, Okada H, Amagasaki T, Suzuki K, Yonezu T, Komatsu N.

Evaluation of the dose and efficacy of ruxolitinib in Japanese patients with myelofibrosis.

Int J Hematol 107(1):92-9, 2018.

Hasegawa M, Wada H, Tone S, Yamaguchi T, Wakabayashi H, Ikejiri M, Watanabe M, Fujimoto N, Matsumoto T, Ohishi K, Yamashita Y, Katayama N, Sudo A.

Monitoring of hemostatic abnormalities in major orthopedic surgery patients treated with edoxaban by APTT waveform.

Int J Lab Hematol 40(1):49-55, 2018.

Tanaka K, Sakuno T, Yamada R, Hamada Y, Katsurahara M, Horiki N, Takei Y.
Gastrointestinal: Gastric inflammatory fibroid polyp that was resected after a 10-year follow-up.

J Gastroenterol Hepatol 33(1):5, 2018.

Kaneko M, Tanaka K, Kobayashi K.
An Unusual Lesion in the Ascending Colon.
Gastroenterology 154(8):2037-8, 2018.

Hamada Y, Mizuno T, Tanaka K, Katsurahara M, Horiki N, Yamada R, Inoue H, Takei Y, Katayama N.
Esophageal squamous cell neoplasia is an independent negative prognostic factor for head and neck cancer patients.
Int J Clin Oncol 23(2):243-8, 2018.

Kondo S, Araki T, Okita Y, Yamamoto A, Hamada Y, Katsurahara M, Horiki N, Nakamura M, Shimoyama T, Yamamoto T, Takei Y, Kusunoki M.
Colitis with wall thickening and edematous changes during oral administration of the powdered form of Qing-dai in patients with ulcerative colitis: a report of two cases.
Clin J Gastroenterol Mar 16, 2018.

Tanaka K, Fujiwara M, Toyoda H.
An unlikely lesion to be identified in the cervical esophagus.
Gastroenterology 155(3):610-2, 2018.

Yamada R, Sakuno T, Inoue H, Miura H, Takeuchi T, Shiono Y, Okuse H, Nakamura M, Katsurahara M, Hamada Y, Tanaka K, Horiki N, Takei Y.
A case of duodenal malignant lymphoma presenting as acute pancreatitis: systemic lupus erythematosus and immunosuppressive therapy as risk factors.
Clin J Gastroenterol 11(4):286-290, 2018

Yoshizawa N, Yamada R, Sakuno T, Inoue H, Miura H, Takeuchi T, Nakamura M, Hamada Y, Katsurahara M, Tanaka K, Horiki N, Takei Y.
Comparison of endoscopic ultrasound-guided fine-needle aspiration and biopsy with

22-gauge and 25-gauge needles for the "precision medicine" of pancreatic cancer: A retrospective study.

Medicine (Baltimore). 2018 Jun;97(24):e11096.

Yoshizawa N, Inoue H, Yamada R, Takei Y.

Pancreatic Burkitt's lymphoma presenting as an unusual cause of obstructive jaundice.
J Dig Dis. 2018 Apr 25.

Nagaharu K, Masuya M, Kageyama Y, Yamaguchi Y, Ito R, Kawakami K, Ito M, Katayama N.

Successful treatment of primary bone marrow Hodgkin lymphoma with brentuximab vedotin: a case report and review of published reports

J Med Case Rep 12(1):151, 2018

Tanaka H, Matsusaki S, Baba Y, Isono Y, Sase T, Okano H, Saito T, Mukai K, Kitamura T, Taoka H.

Usefulness of Endoscopic Transpapillary Tissue Sampling for Malignant Biliary Stricture and Predictive Factors of Diagnostic Accuracy.

Clin Endoscopy 51(2):174-80, 2018.