

業績集

英文原著

Akahori Y, Wang L, Yoneyama M, Seo N, Okumura S, Miyahara Y, Amaishi Y, Okamoto S, Mineno J, Ikeda H, Maki T, Fujiwara H, Akatsuka Y, Kato T, Shiku H.

Antitumor activity of CAR-T cells targeting the intracellular oncoprotein WT1 can be enhanced by vaccination. *Blood* 132(11):1134-1145, 2018

Fujiwara-Kuroda A, Kato T, Abiko T, Tsuchikawa T, Kyogoku N, Ichinokawa M, Tanaka K, Noji T, Hida Y, Kaga K, Matsui Y, Ikeda H, Kageyama S, Shiku H, Hirano S. Prognostic value of MAGEA4 in primary lung cancer depends on subcellular localization and p53 status. *Int J Oncol.* Aug;53(2):713-724, 2018.

Fujisawa M, Kato H, Yoshida Y, Usui T, Takata M, Fujimoto M, Wada H, Uchida Y, Kokame K, Matsumoto M, Fujimura Y, Miyata T, Nangaku M.

Clinical characteristics and genetic backgrounds of Japanese patients with atypical hemolytic uremic syndrome.

Clin Exp Nephrol. 22(5):1088-1099, 2018

Fujioka M, Suzuki K, Iwashita Y, Imanaka-Yoshida K, Ito M, Katayama N, Imai H.

Influenza-associated septic shock accompanied by septic cardiomyopathy that developed in summer and mimicked fulminant myocarditis.

Acute Med Surg. 6(2):192-196, 2019

Habe K, Wada H, Higashiyama A, Akeda T, Tsuda K, Mori R, Kakeda M, Matsumoto T, Ohishi K, Yamanaka K, Katayama N, Mizutani H.

The Plasma Levels of ADAMTS-13, von Willebrand Factor, VWFpp, and Fibrin-Related Markers in Patients With Systemic Sclerosis Having Thrombosis.

Clin Appl Thromb Hemost. 24(6):920-927, 2018.

Hamada Y, Mizuno T, Tanaka K, Katsurahara M, Horiki N, Yamada R, Inoue H, Takei Y, Katayama N.

Esophageal squamous cell neoplasia is an independent negative prognostic

factor for head and neck cancer patients.

Int J Clin Oncol 23(2):243-8, 2018

Hamada Y, Tanaka K, Katsurahara M, Baba Y.

Solitary Rectal Metastasis from Primary Gastric Cancer.

Intern Med 58(7):1037-8, 2018

Iba T, Levy JH, Wada H, Thachil J, Warkentin TE, Levi M; Subcommittee on Disseminated Intravascular Coagulation.

Differential diagnoses for sepsis-induced disseminated intravascular coagulation: communication from the SSC of the ISTH.

J Thromb Haemost. 17(2):415-419, 2019

Iba T, Di Nisio M, Thachil J, Wada H, Asakura H, Sato K, Saitoh D.

A Proposal of the Modification of Japanese Society on Thrombosis and Hemostasis (JSTH) Disseminated Intravascular Coagulation (DIC) Diagnostic Criteria for Sepsis-Associated DIC.

Clin Appl Thromb Hemost. 24(3):439-445, 2018

Isono Yoshiaki, Baba Youichiro, Mukai Katsumi, Asakawa Hiroki, Nose Kenji, Tsuruga Satomi, Tochio Tomomasa, Kumazawa Hiroaki, Tanaka Hiroki, Matsusaki Shimpei, Sase Tomohiro, Saito Tomonori, Okano Hiroshii, Toyoda Hideki.

Gastric adenocarcinoma coexisting with a reddish semipedunculated polyp arising from Helicobacter pylori-negative normal gastric mucosa: a report of two cases.

Clin J Gastroenterol. 11(6):481-6, 2018

Iwasaki Y, Deguchi A, Mori K, Ito M, Kawai Y, Mimuro M, Yoshida M.

Pathological diagnosis of combined Alzheimer's disease and argyrophilic grain dementia in a very elderly man who presented with advanced behavioural and psychological symptoms.

Psychogeriatrics 18:421-6, 2018.

Iwasaki Y, Deguchi A, Mori K, Ito M, Kawai Y, Akagi A, Mimuro M, Miyahara H, Yoshida M.

Autopsied centenarian case of Alzheimer's disease combined with hippocampal sclerosis,

TDSP-43, and α -synuclein pathologies.
Neuropathology 38:653-9, 2018.

Iwashita Y, Hiramoto T, Suzuki K, Hashizume R, Maruyama K, Imai H.
Possibility of venoarterial extracorporeal membranous oxygenator being a bridging therapy for hemodynamic deterioration of pulmonary tumor thrombotic microangiopathy prior to initiating chemotherapy: a case report.
Medicine (Baltimore) 97(37):e12169, 2018

Kageyama Y, Miwa H, Arakawa R, Tawara I, Ohishi K, Masuya M, Kazunori N, Katayama N.
Expression of CD25 fluctuates in the leukemia-initiating cell population of CD25-positive AML.
Plos One 13(12):e0209295, 2018.

Kakimoto T, Matsumine A, Kageyama S, Asanuma K, Matsubara T, Nakamura T, Iino T, Ikeda H, Shiku H, Sudo A.
Immunohistochemical expression and clinicopathological assessment of the cancer testis antigens NY-ESO-1 and MAGE-A4 in high-grade soft-tissue sarcoma.
Oncol Lett. 17(4):3937-3943, 2019.

Kaneko M, Tanaka K, Kobayashi K.
An Unusual Lesion in the Ascending Colon.
Gastroenterology 154(8):2037-8, 2018

Katayama H, Matsumoto T, Wada H, Fujimoto N, Toyoda J, Abe Y, Ohishi K, Yamashita Y, Ikejiri M, Habe K, Katayama N.
An Evaluation of Hemostatic Abnormalities in Patients With Hemophilia According to the Activated Partial Thromboplastin Time Waveform.
Clin Appl Thromb Hemost. 4(7):1170-1176, 2018

Katsurahara M, Yamada R, Inoue H, Hamada Y, Tanaka K, Horiki N, Takei Y.
Gastrointestinal: A case of small bowel obstruction caused by a bezoar, preoperatively found by double-balloon enteroscopy.
J Gastroenterol Hepatol. Epub 2019 Jan 28.

Kitazono T, Ikeda Y, Nishikawa M, Yoshiba S, Abe K, Ogawa A.
Influence of cytochrome P450 polymorphisms on the antiplatelet effects of prasugrel in patients with non-cardioembolic stroke previously treated with clopidogrel.
J Thromb Thrombolysis. 46: 488-495, 2018.

Kondo S, Araki T, Okita Y, Yamamoto A, Hamada Y, Katsurahara M, Horiki N, Nakamura M, Shimoyama T, Yamamoto T, Takei Y, Kusunoki M.
Colitis with wall thickening and edematous changes during oral administration of the powdered form of Qing-dai in patients with ulcerative colitis: a report of two cases.
Clin J Gastroenterol 11(4):268-72, 2018

Kuroda N, Masuya M, Tawara I, Tsuboi J, Yoneda M, Nishikawa K, Kageyama Y, Hachiya K, Ohishi K, Miwa H, Yamada R, Hamada Y, Tanaka K, Kato T, Takei Y, Katayama N.
Infiltrating CCR2+ monocytes and their progenies, fibrocytes, contribute to colon fibrosis by inhibiting collagen degradation through the production of TIMP-1.
Sci Rep. 9(1):8568, 2019.

Makoto I, Usui M, Wada H, Matsumoto T, Ohishi K, Shindo A, Yamashita Y, Nakatani K, Tamaki S, Tomimoto H, Isaji S.
Congenital Thrombophilia in Patients With Superior Mesenteric Venous Thrombosis or Portal Vein Thrombosis.
Clin Appl Thromb Hemost. 24(7):1117-1121, 2018.

Matsumoto T, Toyoda H, Amano K, Hirayama M, Ishikawa E, Fujimoto M, Ito M, Ohishi K, Katayama N, Yoshida Y, Matsumoto M, Kawamura N, Ikejiri M, Kawakami K, Miyata T, Wada H.
Clinical Manifestation of Patients With Atypical Hemolytic Uremic Syndrome With the C3 p.I1157T Variation in the Kinki Region of Japan.
Clin Appl Thromb Hemost. 24(8):1301-1307, 2018

Matsumoto T, Wada H, Fujimoto N, Toyoda J, Abe Y MR, Ohishi K, Yamashita Y, Ikejiri M, Hasegawa K, Suzuki K, Imai H, Nakatani K, Katayama N.
An Evaluation of the Activated Partial Thromboplastin Time Waveform.

Clin Appl Thromb Hemost. 24(5):764-770, 2018

Matsui T, Usui M, Wada H, Iizawa Y, Kato H, Tanemura A, Murata Y, Kuriyama N, Kishiwada M, Mizuno S, Sakurai H, Isaji S.

Platelet Activation Assessed by Glycoprotein VI/Platelet Ratio Is Associated With Portal Vein Thrombosis After Hepatectomy and Splenectomy in Patients With Liver Cirrhosis.

Clin Appl Thromb Hemost. 24(2):254-262, 2018

Matsuo H, Dohi K, Machida H, Takeuchi H, Aoki T, Nishimura H, Yasutomi M, Senga M, Ichikawa T, Kakuta K, Mizutani Y, Tanoue A, Isaka N, Oosugi K, Koyabu S, Sakurai M, Fukui Y, Kakimoto H, Sugimoto T, Ohnishi T, Murata T, Ishikawa E, Okamoto R, Yamada T, Ogura T, Nishimura Y, Tanigawa T, Nomura S, Nishikawa M, Ito M.

Echocardiographic Assessment of Cardiac Structural and Functional Abnormalities in Patients With End-Stage Renal Disease Receiving Chronic Hemodialysis.

Circ J. 82(2): 586-595, 2018.

Muraoka D, Seo N, Hayashi T, Tahara Y, Fujii K, Tawara I, Miyahara Y, Okamori K, Yagita H, Imoto S, Yamaguchi R, Komura M, Miyano S, Goto M, Sawada SI, Asai A, Ikeda H, Akiyoshi K, Harada N, Shiku H.

Antigen delivery targeted to tumor-associated macrophages overcomes tumor immune resistance.

J Clin Invest. 129(3):1278-1294, 2019.

Nagaharu K, Masuya M, Kageyama Y, Yamaguchi T, Ito R, Kawakami K, Ito M, Katayama N.

Successful treatment of primary bone marrow Hodgkin lymphoma with brentuximab vedotin: a case report and review of the literature.

J Med Case Rep 12(1): 151, 2018

Nishikawa M, Umeda K, Umeda-Togami K, Takumi H, and Chiba S.;

Clinical study of iron-fortified drink intake by women with lower-limit normal hemoglobin levels or mild anemia.

Pharmacometrics. 95(5/6): 113-119, 2018.

Noguchi S, Nakaseko C, Nishiwaki K, Ogasawara H, Ohishi K, Tokuhira M, Noguchi M,

Kimura H, Handa H, Mitani K, Miura M, Wakita H, Takahashi N.
STAT study group. Switching to nilotinib is associated with deeper molecular responses
in chronic myeloid leukemia chronic phase with major molecular responses to imatinib:
STAT1 trial in Japan.
Int J Hematol.108(2):176-183, 2018.

Oda H, Ishihara M, Miyahara Y, Nakamura J, Kozuka Y, Iwasa M, Tsunoda A, Yamashita
Y, Saito K, Mizuno T, Shiku H, Katayama N.
First Case of Cytokine Release Syndrome after Nivolumab for Gastric Cancer.
Case Rep Oncol 12(1):147-156, 2019.

Ogawa A, Toyoda K, Kitagawa K, Kitazono T, Nagao T, Yamagami H, Uchiyama S,
Tanahashi N, Matsumoto M, Minematsu K, Nagata I, Nishikawa M, Nanto S, Abe K, and
Ikeda Y.; PRASTRO-I Group.
Comparison of prasugrel and clopidogrel in patients with non-cardioembolic ischaemic
stroke: the PRASTRO-I randomised trial.
Lancet Neurol. 18(3): 238-247, 2019.

Oritani K, Ohishi K, Okamoto S, Kirito K, Komatsu N, Tauchi T, Handa H, Saito S,
Takenaka K, Shimoda K, Okada H, Amagasaki T, Wakase S, Shimosuma , Akashi K
Effect of ruxolitinib therapy on the quality-of-life of Japanese patients with myelofibrosis.
Curr Med Res Opin. 34(3):531-537, 2018.

Park EJ, Prajuabjinda O, Soe ZY, Darkwah S, Appiah MG, Kawamoto E, Momose F,
Shiku H, Shimaoka M.
Exosomal regulation of lymphocyte homing to the gut.
Blood Adv. 3(1):1-11, 2019.

Sasaki T, Franco OE, Ohishi K, Filipovich Y, Ishii K, Crawford SE, Takahashi N,
Katayama N, Sugimura Y, Hayward SW.
Tyrosine kinase inhibitor therapy prescribed for non-urologic diseases can modify PSA
titers in urology patients.
Prostate. 79(3):259-264, 2019.

Seo N, Akiyoshi K, Shiku H

Exosome-mediated regulation of tumor immunology

Cancer Sci. 109(10):2998-3004, 2018.

Shindo A, Suzuki K, Iwashita Y, Tomimoto H.

Sepsis-associated encephalopathy with multiple microbleeds in cerebral white matter.

Am J Med 131(7):e297-e298, 2018

Suzuki K, Matsumoto T, Iwashita Y, Ishikura K, Fujioka M, Wada H, Katayama N, Imai H.

Clinicopathological features of TAFRO syndrome complicated by acquired hemophilia A and developed of cardiopulmonary arrest that were successfully treated with VA-ECMO and tocilizmab.

Int J Hematol 109(6):737-743, 2019

Suzuki K, Wada H, Imai H, Iba T, Thachil J, Toh CH; Subcommittee on Disseminated Intravascular Coagulation.

A re-evaluation of the D-dimer cut-off value for making a diagnosis according to the ISTH overt-DIC diagnostic criteria: communication from the SSC of the ISTH.

J Thromb Haemost. 6(7):1442-1444, 2018

Takahashi N, Nishiwaki K, Nakaseko C, Aotsuka N, Sano K, Ohwada C, Kuroki J, Kimura H, Tokuhira M, Mitani K, Fujikawa K, Iwase O, Ohishi K, Kimura F, Fukuda T, Tanosaki S, Takahashi S, Kameoka Y, Nishikawa H, Wakita H.

Treatment-free remission after two-year consolidation therapy with nilotinib in patients with chronic myeloid leukemia: STAT2 trial in Japan.

Haematologica. 103(11):1835-1842, 2018.

Tamura A, Wada H, Ikejiri M, Miyata T, Habe K, Tomimoto H.

Major bleeding in a patient with warfarin-hypersensitive and factor IX propeptide variant, p.Ala37Thr, who was treated with a direct oral anti-Xa inhibitor.

Ann Hematol. 98(1):209-210, 2019

Tanaka K, Fujiwara M, Toyoda H.

An Unlikely Lesion to Be Identified in the Cervical Esophagus.

Gastroenterology 155(3):610-2, 2018

Tanaka K, Yamada R, Tsuboi J, Kuroda N, Hamada Y.

A small adenocarcinoma in the cervical esophagus.

VideoGIE 4(3):111-3, 2018

Tomomasa Tochio, Katsumi Mukai, Youichirou Baba, Hiroki Asakawa, Kenji Nose, Satomi Tsuruga, Yoshiaki Kumazawa, Hiroki Tanaka, Tomohiro Sase, Yosiaki Isono, Shimpei Matsusaki, Tomonori Saito, Hiroshi Okano, Miki Usui, Gen Watanabe.

Early stage clear cell adenocarcinoma of the colon examined in detail with image-enhanced endoscopy: a case report.

Toyama T, Yoshimura A, Hayashi T, Kobayashi N, Saito K, Tsuneizumi M, Sawaki M, Hattori M, Nakada T, Yokota I, Iwata H.

A randomized phase II study evaluating pyridoxine for the prevention of hand-foot syndrome associated with capecitabine therapy for advanced or metastatic breast cancer.

Breast Cancer. 2018, 25: 729-735.

Clin J Gastroenterol. 11(6):465-9, 2018.

Ueda S, Miyahara Y, Nagata Y, Sato E, Shiraishi T, Harada N, Ikeda H, Shiku H, Kageyama S.

NY-ESO-1 antigen expression and immune response are associated with poor prognosis in MAGE-A4-vaccinated patients with esophageal or head/neck squamous cell carcinoma.

Oncotarget. 9(89):35997-36011, 2018.

Wada H, Matsumoto T, Yamashita Y, Ohishi K, Ikejiri M, Katayama N.

Routine measurements of factor VIII activity and inhibitor titer in the presence of emicizumab utilizing anti-idiotypic monoclonal antibodies: comment.

J Thromb Haemost. 17(3):555-556, 2019

Wada H, Matsumoto T, Suzuki K, Imai H, Katayama N, Iba T, Matsumoto M.

Differences and similarities between disseminated intravascular coagulation and thrombotic microangiopathy.

Thromb J.16:14, 2018

Watanabe T, Tobinai K, Wakabayashi M, Morishima Y, Kobayashi H, Kinoshita T, Suzuki

T, Yamaguchi M, Ando K, Ogura M, Taniwaki M, Uike N, Yoshino T, Nawano S, Terauchi T, Hotta T, Nagai H, Tsukasaki K, for the JCOG0203 Collaborators.
Outcomes after R-CHOP in patients with newly diagnosed advanced follicular lymphoma: a 10-year follow-up analysis of the JCOG0203 trial..
Lancet Haematology 5(11):e520-31, 2018.

Yamada R, Sakuno T, Inoue H, Miura H, Takeuchi T, Shiono Y, Okuse H, Nakamura M, Katsurahara M, Hamada Y, Tanaka K, Horiki N, Takei Y.
A case of duodenal malignant lymphoma presenting as acute pancreatitis: systemic lupus erythematosus and immunosuppressive therapy as risk factors.
Clin J Gastroenterol 11(4):286-90, 2018

Yamada R, Nishikawa K, Tanaka K, Tsuboi J.
A rare form of Intraductal Papillary Mucinous Carcinoma.
Intern Med 58(3):451-452, 2019

Yamaguchi M, Suzuki R.
JSH practical guidelines for hematological malignancies, 2018: 7. Peripheral T-cell lymphoma (PTCL).
Int J Hematol 109(2): 137-40, 2019. (review)

Yamaguchi M, Oguchi M, Suzuki R.
Extranodal NK/T-cell lymphoma: Updates in biology and management strategies.
Best Pract Res Clin Haematol 31(3): 315-21, 2018. (review)

Yamaguchi M, Suzuki R, Oguchi M.
Advances in the treatment of extranodal NK/T-cell lymphoma, nasal type.
Blood 131(23): 2528-40, 2018. (review)

Yamaguchi M, Suzuki R, Kim SJ, Ko YH, Oguchi M, Asano N, Miyazaki K, Terui Y, Kubota N, Maeda T, Kobayashi Y, Amaki J, Soejima T, Saito B, Shimoda E, Fukuhara N, Tsukamoto N, Shimada K, Choi I, Utsumi T, Ejima Y, Kim WS, Katayama N.
Early disease progression in patients with localized natural killer/T-cell lymphoma treated with concurrent chemoradiotherapy.
Cancer Sci 109(6): 2056-2062, 2018.

Yamaguchi M, Suzuki R.

Treatment of extranodal NK/T cell lymphoma, nasal type. UpToDate®, Wolters Kluwer, Waltham, MA, USA. (オンライン著書;2011 年より継続)

Yokoyama S, Tamaru S, Tamaki S, Nakanishi D, Mori A, Yamakawa T, Ao T, Sakata Y, Mizuno T, Iwamoto T, Watanabe K, Simomura M, Kawakami K, Konishi N, Kageyama S, Ohtani S, Yamada T, Ban S, Ooi K.

Genetic Risk Factors Associated With Antiemetic Efficacy of Palonosetron, Aprepitant, and Dexamethasone in Japanese Breast Cancer Patients Treated With Anthracycline-based Chemotherapy.

Clinical Breast Cancer 18(2): e157-e65, 2018.

Yoshizawa N, Inoue H, Yamada R, Takei Y.

Pancreatic Burkitt's lymphoma presenting as an unusual cause of obstructive jaundice.

J Dig Dis 19(8):508-510, 2018

Yoshizawa N, Yamada R, Sakuno T, Inoue H, Miura H, Takeuchi T, Nakamura M, Hamada Y, Katsurahara M, Tanaka K, Horiki N, Takei Y.

Comparison of endoscopic ultrasound-guided fine-needle aspiration and biopsy with 22-gauge and 25-gauge needles for the "precision medicine" of pancreatic cancer: A retrospective study.

Medicine (Baltimore) 97(24):e11096, 2018